SHIPPING WORLD

AND SHIPBUILDING & MARINE ENGINEERING NEWS



VOL. CXXV No. 3050

WEDNESDAY, DECEMBER 12, 1951

Price 16

T.S. Ocean Monarch

(13,970 gross tonnage)

for first-class installations, specify

HENLEY


Shipwiring Cables



Built to the highest class of Lloyd's Register for passenger ships, the Ocean Monarch is the first British ship, and the largest, to be constructed primarily for cruising service. This impressive vessel is equipped with HENLEY Shipwiring Cables and was built for the Furness, Withy Line by Vickers Armstrong Ltd. at their Walker-on-Tyne Naval Yard.

W. T. Henley's Telegraph Works Co. Ltd. 51-53 Hatton Garden, London E.C.I.

LET HENLEY CABLES CARRY THE CURRENT



These people depend on Coal to transport their merchandise to all parts of the World...



At all points of the compass

COAL stands for Power. Once the stately but slow clipper brought us merchandise from the Orient. Now, except where the native plys his trade up and down the rivers, steam-ships have superseded sail.

Since the earliest days of steam, Mann, George & Co., and Associated Companies, have been engaged in the shipment and distribution of COAL overseas.

MANN, GEORGE & CO. LTD.

CORY BUILDINGS FENCHURCH ST LONDON. E.C.3.





BT 148

T.S.S. Ocean Monarch...

is the latest addition to the Furness, Withy Fleet. Built at the Naval Yard, Newcastle-upon-Tyne, the "Ocean Monarch" will cruise from New York to the West Indies and to the Ports of the St. Lawrence and Newfoundland. This ship has been awarded a gold medal for "outstanding beauty and unusual design features of a cruise ship" by the Academy of Designing in the United States.

Vickers-Armstrongs

Limited

VICKERS HOUSE . BROADWAY . LONDON . SWI

SHIPBUILDERS

ENGINEERS

AIRCRAFT CONSTRUCTORS

. . . that is the call of experienced air travellers, who know also that SABENA is the speediest and most satisfactory way of sending goods from London or Manchester to every important trading centre in the world. Freight by Sabena saves packing and insurance costs, reduces risk of damage and pilferage, brings Vfaster repeat orders, making for quicker turnover and greater profit. Use Sabena passenger and FREIGHT Services to Europe, South Africa, Congo, U.S.A. SEND FOR FREE LITERATURE

Fast delivery without transhipment to 25 export destinations

TERMINAL HOUSE, GROSVENOR GDNS., London, S.W. I. (SLOane 3439)

or 32, DEANSGATE, MANCHESTER 3.

Telephone Whitehall 3311 for immediate quotation and booking

Freight Collection Centre

Clipper Cargo delivers your goods to destinations all over the world in a matter of hours. And to 25 important centres, including New York, Boston, Rio de Janeiro, Buenos Aires, Stockholm, Calcutta, there is no transhipment.

Telephone WHItchall 3311 for immediate quotations and cargo space reservations, and information regarding special commodity rates.

Guaranteed space · Lower Insurance rates · Van Pickup service in London · Transferred charges and C.O.D. available to many destinations.

NEW YORK 184	hours	COLOGNE — DUSSELDORF	hours
RIO29½	hours		
BUENOS AIRES 36	hours	DAKAR14	hours
		COPENHAGEN 34	hours
CALCUTTA45		STOCKHOLM5	hours
KARACHI	hours	MUNICH4	hours
BANGKOK51	hours	HAMBURG2	hours
BEIRUT	hours	BASRA294	hours
ISTANBUL93	hours	LISBON	
DELHI 40‡	hours	PARIS	
RECIFE 23	hours	BRUSSELS	
FRANKFURT2	hours		
		GANDER124	
BOSTON	hours	SHANNON	hours

(Deansgate 6956)

World's largest and fastest air cargo service

PAN AMERICAN WORLD AIRWAYS WORLD'S MOST EXPERIENCED AIRLINE



on which the sun


**satile "Bristol" Type 170 Freighter

**Jar service with

** scheduled

Section

**Sec Argentine in the west to Australia and New Zealand in the east, Freighters are engaged on an unceasing round of operations on which the sun never sets.



COMPANY LIMITED .



Telephone : AVENUE 3434 (20 lines) CUNARD HOUSE Leadenhall Street

Telegrams : MORYAIR

Teleprinter: AVENUE 1433

AIRPORT OFFICES AT:

LONDON AIRPORT, Heathrow, Nr. Feltham, Middx. Tel.: Hounslow 7711 (ext. 508)

Blackbushe Airport, Camberley, Surrey. Tel.: Camberley 1600 (ext. 301) Gatwick Airport, Horley, Surrey. Tel.: Horley 1510 (ext. 39)

RINGWAY AIRPORT, Manchester, Tel.: Gatley 3211 (Ext. 9) NORTHOLT AIRPORT, Ruislip.

Tel.: Waxlow 4311 (ext. 376)

Bovingdon Airport, Nr. Hemel Hempstead, Herts. Tel.: Bovingdon 2296

ALL TERMINAL SERVICES

(General Supervision, Customs Clearance, Loading, Unloading, Cartage and Storage, etc.)

Agency to Owners and Charterers

SURREY FLYING SERVICES

LTD.

(Founded Croydon Airport 1921)

30 YEARS OF AVIATION EXPERIENCE AT YOUR DISPOSAL

NOW for a quotation. Both York and Tudor aircraft available for Charter

THE

SURE FAST SERVICE

of our aircraft is backed by the maintenance facilities of Aviation Traders (Engineering) Ltd.

ENQUIRIES TO

78 BUCKINGHAM GATE,

WHI. 0056 (5 lines)

Cables: AVIATRADE, LONDON

For ECONOMY

SPEED

SERVICE

fly with CREWSAIR LIMITED

II, Bruton Street, London, W.I

For freight and passenger enquiries apply :-

Managing Agents

Messrs. Lep Air Services Ltd., Sunlight Wharf, Upper Thames Street, E.C.4. Tel. CEN. 5050





In the air, on sea or on land, all scientific triumphs call for the finest and most reliable equipment.

Therefore when cables are required always specify

C.M.A.

MEMBERS OF THE C.M.A. & AFFILIATED MANUFACTURERS' ASSOCIATIONS

British Insulated Callender's Cables Ltd. Connollys (Blackley) Limited.

The Craigpark Electric Cable Company

Crompton Parkinson Limited. Enfield Cables Limited.

The Edison Swan Electric Company Ltd.

Greengate & Irwell Rubber Company

W. T. Glover & Company Limited.

W. T. Henley's Telegraph Works Company

Johnson & Phillips Limited.

Liverpool Electric Cable Company Ltd.

Metropolitan Electric Cable & Construction
Co. Ltd.

Pirelli-General Cable Works Limited (The General Electric Co. Ltd.).

Siemens Brothers & Company Limited (Siemens Electric Lamp & Supplies Limited).

St. Helens Cable & Rubber Company Ltd. Standard Telephones & Cables Limited.

The Telegraph Construction and Maintenance Co. Ltd.

MAINS CABLE MANUFACTURERS ASSOCIATION

MAINS CABLE MANUFACTURERS ASSOCIATION (SUPER-TENSION)

RUBBER & THERMOPLASTIC CABLE MANUFACTURERS ASSOCIATION

Affiliated to

CABLE MAKERS ASSOCIATION

52-54 High Holborn, London, W.C.1. Tel: Holborn 7633



S.S. "RHODESIA CASTLE" 17,300 gross tons (Union-Castle Mail S.S. Co. Ltd.)

H&W

HARLAND AND WOLFF

large passenger liners

BELFAST GLASGOW LONDON LIVERPOOL SOUTHAMPTON

M 724

PING WOR

The Oldest Weekly Journal devoted to Shipping, Shipbuilding, Marine Engineering, Shiprepairing, Insurance and Finance

FOUNDED



1883

Chairman and Managing Director of The Shipping World, Ltd.: -SIR ARCHIBALD HURD

Editor :- PETER DUFF

Managing Editor: -RONALD KENDALL, M.C.M.S., A.M.I.N.A Advertisement Manager :- M. B. FIELD

Annual Subscription 70s.

Head Offices: 1, Arundel Street, London, W.C.2. (Temple Bar 2523)

Telegrams: "Shipping World," London

Northern District Manager: W. S. Wilson, M.I.E.E., 27 Exchange Buildings, Newcastle-on-Tyne. Telephone: Newcastle 27078

Vol. CXXV.	WEDNESDAY, DECEMBER 12, 1951									Vo.	3050		
" A Cold Wind "							415	International Aircraft Brokers' Associat	ion				423
Current Events			***	***	***	***	415	Changing Conditions in Air Chartering		***		***	424
On the "Baltic"							418	German Shipping and Shipbuilding				***	425
Canadian Shipping and	Shipbu	ilding			***	***	419	The Cargo Steamship Beltinge					426
Safety of Life at Sea							419	Diesel Tugs for Colombian Rivers			***		428
Recent Ship Sales							419	Recent Technical Developments				***	428
Coal and Oil							420	Survey Launch Research					429
Official Notices							420	Pictures					430
The Airspeed "Ambas	ssador '						421	New Contracts, Launches, Trial Trips .					431
New Bristol Aircraft			107	***	177	***	423	Maritime News in Brief					432





. . when the "uncertain winds of heaven" afforded the sole means of propulsion, the duration of a ship's voyage was largely a matter of chance.


Today a steamship's performance is determined by her designers, and her consistent achievement ensured by their choice of the best boilers and propelling machinery.

MeLeSco Superheaters are contributing to the efficiency and reliability of many naval, mercantile and fishing vessels of British and other ownership.



53 HAYMARKET, LONDON, S.W.1

Works: TRAFFORD PARK, MANCHESTER, 17



Reproduced from British Admiralty Chart No. 1069 with the permission of the Controller, H.M. Stationery Office, and of the Hydrographer of the Navy.

All the giants of the world's naval and merchant fleets could comfortably anchor at one time in the broad haven of Australia's major port. Few ports north or south of the Equator are as naturally fitted for their purpose as Sydney, with a harbour area of 22 square miles and a water frontage of almost 200 miles.

A first-class Naval Station, the largest dock in the southern hemisphere and elevator facilities for handling 1,000 tons of wheat per hour mark Sydney as a port of world importance. As such it can naturally offer the services of a full-time resident Sperry engineer.

SPERRY

WORLD-WIDE SERVICE

covering:

Marine Gyro Compasses and Navigational Equipment





THE SHIPPING WORLD

"A COLD WIND"

" A COLD wind will be blowing through the western world for the next year or two and nowhere will the blast be more chilly than in these islands. words by Sir William Rootes, one of this country's most farseeing industrial leaders, are a warning to Ministers of the Crown, managements and workers, whether working with brain or hand, that industrial disputes must be avoided and that everyone, politicians, industrialists and trade union leaders, must cooperate in a spirit of goodwill if the cold wind is to be followed by warm breezes in which we can all bask once again. We are confronted with a more serious economic crisis than at any time in our history. We could not have been forced at a more untimely juncture to carry out the costly rearmament programme which Mr. Attlee's Government adopted and which Parliament has endorsed. The situation was admirably summed up by Sir John Thornycroft a short " The present indications are that shortage time ago. of material and lack of adequate labour force, brought about by superimposing rearmament upon normal domestic and export business, and past mismanagement of the national finances and Government bulk buying, will have a very serious effect on reducing turnover and increasing costs." Another appropriate quotation is from *The Economist*. "An alarming inflation of wage costs has taken grip of the British economy. It is a grip that must by some means be shaken off."

The maritime industries are likely, in due course, to feel the cold wind as badly as any. The managements have to plan years ahead, with the aid of all their expert knowledge and ripe experience. Shipping, and especially the tramp section of the industry, is earning at present high freights; in the shipyards, and especially the larger ones, every berth will be occupied for two or three years, which means that heavy demands will be made on all the ancillary industries concerned with equipment as well as by those which are associated with the supply of what may be described as the raw materials from which ships are created. Progress in shipyards, engine shops and factories may be retarded by shortages of materials, and especially of steel, even if plenty of skilled labour is available.

"Productivity"—that blessed euphemistic word, must be increased.

For that reason, it is matter of satisfaction that the Prime Minister and his colleagues are endeavouring to prove to trade unionists that they are working not as narrow minded politicians, pursuing party ends, but are anxious to enlist the support of all classes, managements, wage earners and, not least, investors, for owing to the reaction of the fall in the pound sterling on the problems of plant renewal, including ships, and stock maintenance, many companies in the maritime group will find it impossible to carry on without fresh "risk capital." As an example of the attitude of Ministers towards all the complicated problems in the industrial field, we have the decision to endeavour to come to terms with the leaders of the trade unions on the future of the steel industry. The prospect of the present Government denationalising steel in face of the threat that their successors in office will nationalise it again, is not a cheerful one for such large consumers of steel as shipbuilders, marine engineers and equipment makers. It is unlikely that the sponsors of nationalisation will admit that they made a mistake in setting up the Steel Corporation, but those most intimately concerned with the matter, the rank and file of trade unionists in the industry, may be brought to see that the solution is to be found halfway between nationalisation and unrestricted private enterprise.

It is anticipated that the new Steel Bill will set up an Iron and Steel Board with extensive control over both the nationalised and privately owned firms. And in that connection, it may be interjected that unrestricted private enterprise, which meant keen competition, made this one of the greatest steel producing countries of the world, which exported its products of such high quality and at such tempting prices as to help to a great extent in balancing the national trading account. Now we may hope that goodwill and good sense will triumph and that a new Steel Board will be set up with the concurrence of all immediately concerned. If we are to get to "the end of the trail" with credit to ourselves, we must all work together, letting the world know that we are not down and out.

Current Events

Free Enterprise in Civil Aviation

Now that the duties formerly performed by the Minister of Civil Aviation have devolved on the Minister of Transport, Mr. John Maclay, the air transport industry may be justified in entertaining hopes that an early start will be made in clearing away some of the needless restrictions which have been crippling the development of air chartering business. Since the change of Government, the British Independent Air Transport Association has formulated its policy with

regard to the immediate future, as fully reported on another page. Its principal object will be to achieve the restoration of a wide measure of freedom for private enterprise by revision of the Acts of 1949, which went a long way towards eliminating free enterprise in air transport. Revision of these Acts would, of course, require new legislation, which doubtless would be relentlessly opposed by Socialist M.Ps, but, meanwhile, the existing Acts can be interpreted more generously towards private enterprise, particularly in the field of

charter work and the management of airfields. Mr. Maclay, with his long experience in the shipping industry—and shipping, it must be remembered, is the complement of air transport and has had valuable experience in the early development of airlines can be relied on to assist the air transport industry to exercise private enterprise to the utmost. Lord Leathers, Secretary of State for the Coordination of Transport, Fuel and Power, made it quite clear in the House of Lords that he favoured a combination of public and private enterprise in the best interests of British civil aviation. It was the Government's intention, he said, to give greater opportunities to private enterprise to take part in air transport development, without in any way impairing the competitive strength of our inter-national air services." Many shipping companies which national air services." Many shipping companies which took air powers in the early stages of civil aviation may, in the long run, find scope after all for cooperation with the remaining independent operators, and their assistance would do much to promote business; and perhaps the position of the Baltic Exchange as the world centre of air chartering, as well as ship chartering, will after all be finally established.

Rules and Exceptions

THE SECOND READING of the new Merchant Shipping Bill gave one or two Members of Parliament an opportunity of displaying their complete ignorance of shipping affairs. The object of the Bill, as Mr. Maclay explained, was to enable him as Minister of Transport to make exceptions from certain requirements as to crew accommodation in ships proposed in the Merchant Shipping Acts of 1948 and 1950. This sounded suspicious to one or two Socialists eager to make political capital, but they soon discovered that they were chasing a non-existent hare. The seafarers themselves had already indicated their full approval of this measure. In fact, as Mr. Maclay explained, paradoxical though it may sound, it was absolutely essential to have power to exempt certain ships from these regulations if the highest average standard throughout the merchant fleet was to be achieved. The regulations which are now being drafted in accordance with the 1948 Act will provide for standards of crew accommodation in British ships rather higher than those laid down in I.L.O. Maritime Conventions of 1946 and 1949, but it is not practically possible for all vessels, without exception, to adhere to these high standards completely. The choice was whether the Minister should have power to exempt certain ships from the high standards that the majority would have to follow, or whether those high standards should be lowered to the general level at which no exemptions would be necessary. Needless to say, the latter alternative did not appeal to either side of the National Maritime Board. Hence the new Merchant Shipping Bill, which had the full approval of Mr. Alfred Barnes, Mr. Maclay's predecessor. As Mr. Barnes put it, "it was essential not to make the Barnes put it, "it was essential not to make the standardised conditions so rigid, comprehensive and complete that they ruled out the creative type of enterprise which is always seeking to go one better." This is an excellent example of a case when the value of the rule is improved by the exception. Too often of the rule is improved by the exception. in these regulation-ridden days, masses of time, energy and paper are wasted on striving after complete uniformity, often with the result that general standards are lowered.

" Scab Ships "

In commenting on the discussion in the House of Commons of the danger of Japanese competition and the revelations which were made by some M.Ps as to undercutting by the people who are now being given their freedom in production and trading, Mr. George Schwartz, the economist, made an assertion which may deceive shallow thinkers. In the Sunday Times he wrote that "the Queen Mary and Queen Elizabeth are two seab ships operated by cheap labour." He added that that was the sort of remark that could be uttered in

American maritime circles, "for it cannot be denied that by United States and Canadian standards we are a country with a lower standard of living. All the arguments against Asiatic products could be employed against European products by American employers and workers. What, in fact, matters to us in Britain is not the conditions under which Japanese goods are produced, but the prices at which they are sold in overseas markets, competing with our products and, in many cases, copied from our designs. What so many people do not realise is that manufacturers and shipowners in the United States command a home market, which is protected by tariffs, subsidies and other devices, with three times the population of the British Isles, and that they have easy access to contiguous markets stretching from the North Pole to Cape Horn. Having many millions of people to supply, the Americans can adopt the methods of mass production of cars, typewriters, vacuum cleaners and other things. They can make practically everything in this cheap way—except ships. They applied the mass production technique to ships during the war with surprising and welcome results. But when victory had been won it became apparent that they were not comparable to the quality ships which are turned out by British shipyards.

Motor Cars and Ships

PRACTICALLY every shipowner in the United Kingdom PRACTICALLY every shipowher in the united Kingdom who acquired such mass produced ships desires as soon as possible to replace them by vessels "made to measure", as a tailor might say. Clothes "off the peg" are relatively cheap in these islands, but those who can afford higher prices for clothes made to measure buy such clothes. The suggestion that the two Queens or any other British ships are "scab ships is as appropriate as it would be to call American motor is as appropriate as it would be of call Alliceral motor cars, typewriters and other mass produced articles which are sold all over the world at low prices as "scab." It is the price that is of importance in all these trade matters. That the car manufacturers on the other side of the Atlantic, owing to their very favourable conditions of production, can sell their motor cars cheaper than we can sell our cars causes no protest from our makers. So in the matter of ships. We live in a small and overcrowded island, which means that we must have ships in order to import about half our food and nearly all our raw materials, and export sufficient goods and services in order to pay for those imports. So far as shipbuilding and ship operating are concerned, we are favourably situated because we must have ships to live. The talk of "scab ships" is unjust to all our maritime industries, especially as the workers in this country, owing to lower prices, are in all essential respects as well off as those of the United States. If higher wages prevail in that country, as they do, so higher prices for everything are the rule.

Shipbuilding Results

The latest results of Yarrow & Co., Ltd., and of the Fairfield Shipbuilding & Engineering Co., Ltd., underline the great strength of financial resources at the disposal of the shipbuilding industry. At the end of June 1951, Yarrow had accumulated in reserves as much as £695,000 (excluding future tax and pension provisions totalling £188,000), compared with an issued one-class capital of £300,000. The latest balance sheet of Fairfield totals £3.835,000. Here, too, fixed assets, at £798,000, are substantially depreciated, while current assets of £2,783,000 include £800,000 in cash and £270,000 in tax certificates. There is thus ample provision for capital commitments of £185,000. Issued capital of £500,000 is in equal moieties of preference and ordinary shares and is backed by reserves totalling £1,673,000. The contrasting trading experience of the two companies stresses the sharp fluctuation in earnings to which all long-term contractors are prone. In the case of Yarrow, consolidated trading profits rose from £236,000 to £377,000. The dividend of 15 per

cent less tax on a capital recently doubled by a reserves capitalisation of £150,000 was nearly four times covered. Fairfield reports considerably lower trading profits of £468,000 (against £701,000), but the net surplus of £130,000, after depreciation of £100,000 and tax of £176,000 (against £310,500), many times covers the repeated 10 per cent dividend.

Higher Freights

The books of the Stag Line close on October 31, so that the company has had the advantage of ten months of the profitable operations that have characterised the current year. In consequence, trading results have yielded £436,000, compared with £148,000 in 1949-50. Tax, of course, skims the cream off this achievement, taking £174,000 (against £34,000), while the depreciation charge is raised from £79, 100 to £143,000. Nevertheless, the dividend of 15 per cent against 12½ per cent is left with generous cover. A centenary bonus of 3d, per share (tax free) is also being paid. The 15 per cent dividend costs no more than £16,000 net and the surplus of £114,000 goes to a further strengthening of reserves and the carry forward. Reserves and provisions, including a tax account of £238,000, now total £1,241,000 or more than six times the issued one-class capital of $\mathfrak{L}206,000$. At the same time the liquid position has greatly improved. Whereas there was a small bank loan outstanding at October 31, 1950, the company now holds £148,000 in cash and £150,000 in tax certificates. In addition, there is an investment portfolio of £364,000. Part of the accrual of liquid resources during the year comes from the sale, at "an attractive price, of the *Lxia* but the very satisfactory trading results mentioned in the directors' report will also have played their part in the building up of a very adequate working capital.

Training and Education for Management

A GREAT deal has been said, in Parliament and elsewhere during recent weeks, regarding the economic state of the country. The incidence of a great rearma-ment campaign has successfully hidden the fact that if a peace move should succeed, the return to normal conditions would be within a buyers' market. For this reason we must continually plan for more efficient reason we must continually pian for more emergen-and greater production, being a country largely dependent on export trade. The report of the Anglo-American Council on Productivity dealing with education for management is, therefore, of special interest. No attempt is made to review conditions in the United Kingdom, but the findings on American practice are most revealing. Perhaps the most signifi-cant comment is that "there is a climate of opinion which regards maximum effort by every individual as the primary guarantee not only of material standards but of the way of life of a free society." The creation but of the way of life of a free society. The creation of a similar attitude in Britain is not a matter for industry alone; politicians of all colours, as well as trade unions, must play their part. A matter which should receive immediate attention by industrial leaders, not least those in the maritime industries, is the emphasis on higher education in the United States. Over two million people are receiving university education. More degrees are granted in business and commerce subjects than any other. Great stress is placed on the integration of theory and practice in education for business. As distinct from this progressive trend, the position in the maritime industries of Britain is, in some senses, quite alarming. It is doubtful if a single student is now being taught maritime affairs if a single student is now being taught martine analysis as a whole. As distinct from Norway, there is in Britain no chair of maritime affairs, a position which is indefensible in the greatest shipping and shipbuilding nation in the world.

The Riveting and Welding of Aluminium

The shipbuilding and marine engineering industries have welcomed the symposium arranged by the Aluminium Development Association in London in

November, where papers on the riveting and weld-ing of aluminium were read, followed by useful discussions. The basic needs of these sections of the maritime industries are guidance on approved methods with an assurance of riveting, together possible progress is being made in the development of light alloy welding. The latter is necessary at a time when almost all British shipyards are following a policy when almost all British shipyards are following a policy of ever greater introduction of welded construction in their yards. The incidental fact that it is becoming increasingly difficult to attract young entrants to the riveting trade is not without a bearing on future developments in marine use of aluminium. In the first paper by P. T. Houlderoft, W. G. Hull and H. G. Taylor, it was made clear that, with the advent of the argon are and self-adjusting are processes, there was now practically no restriction on the type of joint to be employed, while fabrication procedure had been simplified. The latter and more recently developed method had more versatility than the former, but it was thought that for plating up to about & in. thick-ness argon are welding was more suited and gave a higher quality weld. In the second paper, dealing with argon are welding, by J. R. Handforth, it was stated that the process gave weld strengths of from 90 to 95 per cent of the original metal, as compared with about 70 per cent strengths when using acetylene or flux-coated electrodes. Two further papers dealing with aluminium rivets and riveted joints, by J. C. Bailey and Prof. S. C. Redshaw, showed that the main principles upon which light alloy riveting should be based had now been formulated, the papers containing useful data giving guidance on the design of aluminium riveted joins and the types of rivets recommended.

South Africa and the Hague Rules

ONE result of the enactment of legislation based on the Hague Rules has been that, having exercised due diligence to provide a seaworthy and cargo-worthy ship, the carrier, and the ship, are exempted from responsi-bility for loss or damage arising from the "act, neglect, or default of the master, mariner, pilot or the servants of the carrier in the navigation, or in the management of the ship," together with other detailed immunities as provided in the Hague Rules; and this is also true with regard to certain provisions of the American Act of 1893 known as the Harter Act. A American Account of the Institute of London Underwriters, known as the "Institute Corn Trade Clause (relating to Carriage of Goods by Sea)", was adopted in 1937, holding the assured covered against "loss or damage arising from or resulting from act, neglect, etc.," as detailed above, for which the carrier or ship is relieved of responsibility under the Australian, Canadian and United States Carriage of Goods by Sea Acts and the Harter Act. The special clause further provides that nothing in it shall "limit of affect any rights which underwriters may have by subrogation or otherwise, against the owners of the said vessel," with a further provision that " claims arising under this clause are not subject to the F.P.A. Warranty." The Union of South Africa has now passed the Merchant Shipping Act (No. 57) of 1951, which, among other things, embodies the Hague Rules. Therefore the Institute of London Underwriters has revised its special corn trade clause to make it apply to the new South African Act.

THE BRITISH SHIPBUILDING COMPENDIUM

The new (1951-52) edition of this volume, which is the only complete buyers' guide to British shipbuilding, shiprepairing, marine engineering and the manufacturers of ship equipment, is now available from THE SHIPPING WORLD, LIMITED, Effingham House. I Arundel Street, London, W.C.2. price 20s., post free.

now available from THE SHIPPING WORLD, LIMITED, Effingham House, I Arundel Street, London, W.C.2., price 20s., post free. The book provides two-way reference to the whole field. From the 32-page index it is possible to see at a glance the whole range of manufactures of any one company. Alternatively 8,500 companies are grouped under 345 headings to show those which are concerned in the manufacture of each item of equipment.

ON THE "BALTIC"

LOADING CONDITIONS FOR COAL IN DIFFERENT AREAS

By BALTRADER

THERE IS still no lack of demand for American coal in the Western European area. The Low Countries, Germany, France and Italy have for long competed with South America, Japan and other countries for the surplus of United States coal. Now at last Great surplus of United States coal. Now at last Great Britain has found herself unable to dispense with similar American assistance, although on Furthermore, we are told that Poland has fallen out with Denmark over the latter's inability to deliver some of the manufactured articles required by Poland. The supply of Polish coal to Denmark will, therefore, apparently be discontinued; possibly that is the reason why, according to New York agents advice. Denmark will import 400,000 tons of coal from the United States in the next few months. One cannot but marvel at the capacity of the railways and ports of the Eastern United States to cope with this enormous traffic.

How different is the case of South Africa, which has very fine appliances for shipping coal at Durban and Lourenco Marques; these, however, cannot be kept supplied with coal for export to countries in great need. This is mainly owing to the insufficiency of the South African railway system to deal with its growing internal traffic and its great potential export of coal, manganese ore and other products. Calcutta is another coal exporting centre where the facilities stagger under an exceptional load. There is considerable activity in chartering from Calcutta to Japan, Australia and nearer destinations; but the result is congestion and delay. Even in South Wales, where there is certainly not a very busy export of coal, some detention is often incurred in loading; this is not generally due to lack of port facilities but is caused by the difficulty of releasing coal for export when it is so vital to our own purposes also to the need for conserving the employment of railway trucks. Wagons cannot be spared to stand at the dockside with a large quantity of coal ready for shipment. The contrast between the ports of the United Kingdom in general and the Eastern U.S. coal ports is that there are so often too many ships for our ports to cope with, whereas the American exporters complain that there are not enough ships to clear their stocks from the loading piers.

Revival in Plate Market

It is still observable that the world freight markets have a power of recovery whenever, as recently, the have faltered here and there. An unexpected instance has been the homeward trade from the River Plate, which until lately has, for a long time, not faltered but fallen down. Not much business has been done compared with a flurry in the heyday of the Plate market, but a number of orders came into the market for cargoes to Western Europe with the conspicuous exception of the United Kingdom. A number of parcels were arrangeable by liners, but the number of tramp ships available was small. Owners were in any case not in the least interested in the rates to which freights from the Argentine had fallen; their ships could do much better by leaving the Plate in ballast and loading elsewhere for the homeward voyage. A few weeks saw a rise from about 63s. to about 95s. per ton for heavy grain to the near Continent, with appropriate rates for Sweden and Denmark. It is not generally expected that the Plate will remain steady for long; the experts continue to point to the small exportable surplus of Argentine grain likely to be available in the coming year.

To come to a more important market, the North Pacific charterers have not found it possible to hold all the ground they have won lately. The Ministry of Food is paying increased rates to draw tonnage in ballast from Australia to load homewards from British Columbia. It is in Australia, where demand is languid, that much of the tonnage available in the Pacific basin is to be found. There is less shipping than usual becoming ready in Japan or other countries of the Far East. Shortage of tonnage in the East is shown by the steep rise in freights from India, Calcutta coal to Japan paying 122s. 6d., compared with 95s. accepted not long ago. The Eastern North American market shows no sign of winding down in view of the numerous inquiries for vessels to carry coal, grain, sulphur and sugar.

There are indications that Great Britain may find increasing difficulty in maintaining the volume of her exports of motor cars and other manufactured goods. One cannot, however, at present see this tendency reflected in any reduction of inquiry for tramp tonnage for account of the liner companies who continue to operate for trips on time charter, particularly to Australia, at high rates of hire.

The Freight Market

Chartering has been active in the past week and rates are steady. North America continues to provide the backbone of the freight market. The inquiry for American coal comes mainly from Europe, but Japan, South America and Pakistan are also contributing to the demand. In addition to fixtures from Hampton Roads to the Continent at \$10.50, basis Antwerp or Rotterdam, the Melide, 8,000 tons, and Atlantic Ocean are fixed from Hampton Roads to Karachi at \$21.75, about middle December; and \$24.25 has been paid, Hampton Roads to Karachi and Chittagong for loading in December. The Leontios, 9,000 tons, is fixed, Hampton Roads to Japan at \$21, late December. The Akron is chartered from Hampton Roads to Buenos Aires at \$18, December/January, and for 2 additional trips at \$17.75, all with option of discharge up river at 50 cents extra. The Ministry of Food has been in the market for North American grain and has chartered Clintonia for heavy grain from U.S. Gulf to U.K./Continent at 26s. 3d. per quarter, February 4/29, dates to be narrowed. The Ministry has also taken the Fernmoor, 8,400 tons, heavy grain British Columbia to U.K./Continent at 145s., March 24/April 30, dates to be narrowed. The Mcadowbank, January / February, and Myrtlebank, February, will take flour in bags, West Australia, South or Victoria to Ceylon at 80s. west Australia, South or Victoria to Ceylon at 80s., per ton. The Kvernaus, 8,500 tons, is fixed from full range Australia to the United Kingdom at 120s., basis bulk wheat ex silo, February 1/March 10, dates to be narrowed. Black Sea to U.K., heavy grain, is fractionally down with fixtures at 103s, 9d. for January. Formosa is importing fertilisers from Europe and several fixtures are recorded.

Air Charter Business

Christmas traffic is not prominent in air charter operations this year, owing to restrictions imposed on imports from the Continent to protect our currency. Government employment of charter planes for the time being disposes of much of the heavier types of privately owned British aircraft.

The recent debate in the House of Lords is welcomed as a recognition of the importance of the privately owned aircraft industry. In addition to increased encouragement by our Government, operators of charter planes are hopeful of a change of attitude by other Governments. A relaxation of the rules which prohibit charter operators from booking parcels of freight or individual passengers in their planes is much desired by private operators and should be encouraged when scheduled air services are insufficient.

CANADIAN SHIPPING AND SHIPBUILDING

Mr. Lionel Chevrier's Review

SPEAKING at a dinner in Toronto recently, Mr. Lionel Chevrier, Canada's Minister of Transport, gave a review of the Canadian shipping industry during the past six years. In spite of the impressive maritime position assumed by the country during the last war and the fact that Canada's stature as a trading nation had become increasingly important, the shipping industry found difficulty in adapting itself to a beacetime economy. In large measure, the difficulty reflected severe competition of foreign carriers better able to adiust operating costs to a lower revenue level. The problem had also been accentuated by the construction in low-cost foreign yards of new commercial units, more modern and more efficient. Mr. Chevrier continued: "In Canada, I believe that the Government has gone a long way towards meeting the needs of a strictly Canadian maritime industry. Let me just mention in bassing the establishment of the reolacement olan and the transfer plan. The former envisaged the construction of modern ships in Canadian yards and the latter the retention of ownership and of operation by Canadian combanies of vessels in competition with low cost operators. I hope that taking advantage of the Government's efforts on their behalf we will soon see further commercial development in the ocean shipping industry."

Industry. That did not mean, however, that the production of the shipbuilding industry had been curtailed. At the present time the total programme value of vessels in preparation or under construction is over \$200 million. This represents a huge naval programme of 39 additional units, of which 15 are anti-submarine escort vessels, 14 minesweepers, and the balance various types ranging from an Arctic patrol vessel to a Norton tug. The contracts for the construction of these naval vessels have been awarded for strategic reasons on a geographical basis to the major shinyards on the Pacific and Atlantic coasts and on the St. Lawrence River, The vards on the Great Lakes are fully occupied in the construction of merchant vessels, for the main part bulk freighters and oil tankers. The 21 new vessels under way on the Great Lakes have been ordered by Canadian shipping companies and most of them have received assistance from the escrow fund established by the Government under the replacement plan.

The balance of new construction in Canadian yards is made up of Government vessels such as a new icebreaker for the Department of Transport and an automobile ferry to operate between Port aux Basques, Newfoundland, and Sydney, Nova Scotia. Over and above the new construction which is under way in the major shipyards, there are some 36 bangors and frigates which are being refitted for the Navy in some eleven eastern Canadian vards from Montreal to Charlottetown, Pictou, Hulifax and Lunenburg.

New Wages and Conditions for Seafarers

British shipowners and seafarers, through the National Maritime Board, have combleted their negotiations for new rates of pay in British merchant ships to start on January 28. For ratings in all departments, the increase in monthly vessels where food is found by the owner is £2 for adults and £1 for boys. Certain ratings in the higher grades receive increases of £2 5s, and £2 10s. The result is that an able seaman's pay will, from the date of the new agreement, be £24 per month, rising in four years to £28. In weekly vessels, where food is not found by the owner, the corresponding weekly increase is £2s. 10d., but the weekly food deduction which may be made by the owner who does provide food has been increased from 17s. 6d, per week to £4 5s. for senior officers in the highest tonnage grades. As regards officers on weekly rates where the food is not found by the owner there is, as in the case of ratings, an additional increase of 3s. 6d, per week, and a corresponding increase in the food deduction made by the owner when the does provide food. The overtime rates, both for ratings and officers, have been increased. The arrival and sailing day section of the Sundays at sea leave agreement has been made more attractive to seafarers. The nights on board agreement affecting officers in foreign-going ships has been modified in favour of officers who, through the exigencies of the trade, are required to remain on board immediately on their return to the United Kingdom after a long voyage abroad. The principle of the eight-hour day in the catering department has been recognised, and special compensation arranged because of the fract that in practice a nine-hour or ten-hour day has regularly to be worked.

Safety of Life at Sea

New International Convention to Come Into Force

The International Convention for the Safety of Life at Sea, which was drawn up at the International Conference held in London in 1948 under the presidency of Sir John Anderson, will come into operation on November 19, 1952. The Conference was attended by delegates from 30 countries, and the Convention which they prepared provided that it should tome into force one year after 15 countries—seven of which had not less than 1,000,000 tons gross of shipping—had deposited their acceptances with the Government of the United Kingdom. The fifteenth acceptance was deposited on November 19 last, and the countries which have accepted the Convention are, in order of date of acceptance: United Kingdom, New Zealand, United States of America, France Ketherlands, Sweden, Norway, South Africa, Iceland, Portugal, Canada, Pakistan, Denmark, Yugoslavia and Italy. The Convention, when it comes into operation, will replace the International Sufety Convention which was drawn up in London in 1929.

drawn up in London in 1929.

The 1948 Conference generally confirmed the standards of construction of passenger shios that were laid down in the Convention of 1929, and the new Convention makes no major change as regards the watertight subdivision of ships, but it lavs down much more comprehensive requirements with regard to fire protection and firefighting equipment to be carried in passenger ships. It also lays down Rules for fire detection and extinction in cargo ships of over 1.000 tons gross, as well as for passenger ships. It includes requirements to preserve the stability of passenger ships in damaged condition, and requires that cargo ships, as well as passenger ships, shall be inclined in order that masters may be provided with stability information. The Convention includes provisions with regard to the electrical installations in passenger ships, with the object of safeguarding essential services in an emergency and of protecting passengers and crew against electrical hazards.

Life Saving and Radio Appliances

As regards life-saving appliances, the main change made by the new Convention is that the requirements will, in future, apply not only to passenger ships but to all cargo ships of 500 tons gross and upwards, which will be inspected every two years and furnished with a Safety Equipment Certificate covering not only the life-saving appliances but also fire appliances, lights, etc. Ships in special trades that are not provided with lifeboats for all on board will, in future, have to comply with special subdivision requirements. The use of radial davits in new ships, and life-rafts in lieu of lifeboats, is to be discontinued. Every ship will have to carry a lifeboat or lifeboats fitted with radio or provide portable radio for use in the lifeboats. All passenger ships and cargo ships over 1,600 tons gross will, under the Convention, have to carry at least one motor boat or mechanically hand-propelled lifeboat. The new Convention also provides that, in future, a continuous wireless watch on the distress frequency, either by an operator or by autoalarm, shall be maintained by all ships over 1,600 tons. All cargo ships of between 500 and 1,600 tons will be required to be fitted either with wireless-telegraphy or wirelesstelephony. All ships over 1,600 tons will have to carry direction-finding apparatus. The Convention also provides Regulations regarding the carriage of gain, and sets out certain broad principles which will govern the carriage of dangerous goods on board ship.

RECENT SHIP SALES

Motor vessel Derryheen (7.952 t.g.), built in 1943 as the Merchant Aircraft Carrier Empire MacAndrew, by Wm. Denny & Bros., Ltd., Dumbarton, has been sold by McCowen & Gross to the Cane of Good Hone Motorshin Co., Ltd. (Lyle Shipping Co., Ltd.), to be renamed Cape Grafton.

One of the oldest British-flag motor vessels in service, the eargo vessel Loreto (6.690 t.g.), built in 1919 by Harland & Wolff, Ltd., Glasgow, as the Glenade and owned by the Pacific Steam Navigation Co., Liverpool, has been sold to Motor Lines, Ltd., London, She has been renamed Barbeta and is understood to have a speed of 10 knots and a capacity of 9,090 tons d.w.

The largest single shipment of motor cars yet to leave this country has been despatched by the Rootes Group in the Hoperidge. 11,000 tons, which has been specially chartered for the purpose.

COAL AND

U.S. SHIPS LOAD COAL FOR U.K.

It is reported from New York that five ships have already been allocated by the U.S. National Shipping Authority to load coal for the United Kingdom. statement adds that much of the 750,000 tons of coal which, as reported in this column on November 21, is to be sent to the United Kingdom this winter, will be carried in the Authority's ships. This should prevent a repetition of the events of last winter, when iron ore and other cargoes could not be shipped, owing to the lack of shipping space. Since the establishment of the National Shipping Authority in March, sailings by its vessels had reached a total of 679 by November 15. The large majority of these were with coal cargoes, which numbered 475, and accounted for 4,652,567 tons out of the 6,579,203 tons of bulk cargoes lifted. The largest proportion of these coal shipments has gone to France, which by November 15 had received nearly 2,000,000 tons. Shipments to Ger-many had at this point reached a total of 504,962 tons, of which November shipments accounted for 163,440 tons in 17 cargoes. Other recipients of coal cargoes during the first half of November include Italy, Denmark, Austria, Belgium, Eire and Holland.

Dundee Oil Installation Approved

The Dundee Harbour Board debate over the leasing of ground to Scottish Oils & Shell Mex, Ltd., for the erection of a terminal at Stannergate, Dundee, on ground owned by the Dundee Harbour Trust, has ended in a reversal of the former decision, and the granting of the approval sought. The oil company indicate that they hope to handle some 60 tankers and an annual throughput of 45,000 tons. The decision to locate the installation in Dundee was part of a general policy aiming at the more economic distribution of their products. Against the lease it was argued that the tanks were too close to the town and to the ship-yard (Caledon Shipbuilding & Engineering Co., Ltd.) for comfort, and that the granting of this lease would prevent the future construction in Dundee of the dry dock for which this ground was originally earmarked. Against this latter claim it was contended that there was no guarantee that such a graving dock would ever be built, so that the decision lay between immediate revenue-producing use of the ground, or its retention against a possible but unlikely project in the future.

South African Coal Troubles

In a memorandum sent to the South African Commission of Inquiry into Coal Shortages, the Cape Town Chamber of Industries has suggested that ships are more dependable than railways in the supply of coal to the Cape Town area. It submits that the establishment of shipping services would "reduce the depen-

dence of communities at the Cape for coal supplies on the obviously hard-pressed and now unreliable railway services." The minimum coal needs for the power locomotives, factories and private consumers of the Western Cape are 1,260,000 tons a year. When a serious coal shortage developed last June, the Chamber first suggested that coal should be carried by sea. The South African Railway Administration, however, refused to make any of its own ships available for this purpose. The Chamber now argues that the Railway Administration has a duty to use all means at its disposal, including ships, to ensure that supplies of coal reach the Cape. It points out that the Administration's steamer Aloe was lying in the Cape docks at the time of last June's coal crisis. Although it was then suggested that the Aloe should be used to ease the coal shortage, she lay idle at Cape Town for some weeks while the crisis continued, and then sailed for an overseas destination.

Shorter Items

Information has been received by Cory Bros. & Co., Ltd., from their principals, Vancouver Island Coals, Ltd., that the price of bunker coal at Comox and Nanaimo has been increased. The new price at Comox is 11.25 Canadian dollars per ton for Comox bunker steam coal, and the same price now holds at Nanaimo for Nanaimo Wellington. Both prices are f.o.b. ex tips, plus trimming at a price not exceeding 25 cents per ton.

COAL and coke shipments from the Wear in October amounted to 268,971 tons, making a total of 2,530,104 tons for the first ten months of the year. The figure for the corresponding period of last year was 2,508,436 tons and for 1938, 3,624,643 tons. This year's shipments included 427,680 tons sent to foreign octors. This was only about one-quarter of the foreign exports in 1938. The biggest item of imports was 142,050 tons of iron ore and the second largest import 136,703 tons of petroleum.

OFFICIAL NOTICES

New Companies

Sr. Davids Steamship Co. (U.K.), Ltd. Registered November 22. Nominal capital: £5,000 in £1 shares. Directors: Not named. Subscribers: L. W. Williams, 80 Bedford Road, London, N.2 (clerk); J. R. Samuel, 24a Dale-hurst Gardens, London, N.W.3 (secretary).

hurst Gardens, London, N.W.3 (secretary).

Amsterdam Dry Dock Co. (London), Ltd., 22 Basinghall Street, London, E.C.2. Registered November 16. To act as representatives, selling and buying agents of Amsterdamsche Droogdok Maatschappij N.V. of Amsterdam, previously carried on by Gerard F. Walker, Nominal capital: C100 in £1 shares. Directors: G. F. Walker, 3 Shaldon Way, Walton-on-Thames: A. M. Versluijs, Amsterdam; J. W. R. Thomson; and A. J. Van Deinse.

[Information from Jordan's Daily Register of New Companies]




150-Ton Light Alloy Barge

This light alloy barge was built on the This light alloy barge was built on the Thames, transported by land and sea to Cardiff, and there shipped to Rio de Janeiro for use by Cory Bros. & Co., Ltd. The barge, which was built by the Fairmile Construction Co., Ltd., weighs only 10 tons, and will carry 150 tons of cargo. It measures 80 ft. by 20 ft. by 5 ft. 9 in. The barge was lifted from the Thames at Dagent was lifted from the Thames at Dagenham and transported by road to Avonmouth, where it was again launched, towed across the Bristol Channel to Cardiff, and loaded on the steamship Sneaton. The transportation problems were handled by the shipping and for-warding department of Cory Bros. & Co., Ltd., who will use it at their Rio bunkering and stevedoring depot

INTERESTING FACTS ABOUT OIL

No. 11. What does "Octane Rating" mean?



The octane rating of a gasoline is the measure of its anti-knock value. The higher the octane number, the higher the anti-knock quality.

The term "octane rating" derives from the hydrocarbon iso-octane, which, because of its high anti-knock quality, has been adopted as one of the two standard "reference fuels" used in laboratory tests. The other reference fuel is normal heptane, a hydrocarbon of low anti-knock quality. By blending these two fuels, mixtures are obtained of any anti-knock value required, and the percentage by volume of iso-octane in any mixture represents the octane number of that mixture. The anti-knock value of a motor spirit is signified, after laboratory test, by the octane number of that blend of the reference

fuels, which matches the motor spirit in anti-knock quality.

To determine the anti-knock values of fuels a stationary test engine is used, known as the A.S.T.M.—C.F.R. engine (American Society for Testing Materials—Co-operative Fuel Research). This engine has a single cylinder, adjustable in compression ratio while the engine is running. The carburettor is so made that it is possible to change over quickly from one fuel to another by turning a control valve.

When a motor spirit is tested for anti-knock value, the engine is run on a sample of the spirit and compression is adjusted until a definite standard of knock intensity is reached. The engine is then run, at the same compression ratio, on a blend of the two reference fuels and the two performances are compared. A second blend is then made slightly better or poorer than the first, and comparison is made between the sample of unknown rating and the two blends each of known rating. From this comparison the knock rating of the sample is determined.

Fuels of sufficiently high octane number will not knock under any practical conditions of use. No advantage is gained by increasing the octane number of a fuel beyond the necessary level for knock-free operation in the type of engine for which the fuel is intended. To use a high octane aviation fuel in an ordinary private car would not improve the car's performance—the fuel would probably be less suitable than ordinary petrol.





WM CORY & SON LTD., CORY BUILDINGS, FENCHURCH STREET, LONDON, E.C.3



FLY



YOUR



FREIGHT



by B.O.A.C

to all six continents



SWILTER DELIVERY CHEAPER PACKING

LOWER INSURANCE LESS HANDLING

INCREASED MARKETS QUICKER TURNOVER





Consult your local B.O.A.C.

Forwarding Agent and ask for your free copy of "B.O.A.C. Air Freight"





BRIDGE OVERSEAS AIRWAYS CORPORATION FO ASSOCIATION WITH QUARTER EMPIRE





Extraordinary all the
things which BEA can
carry to and from Britain
and the Continent —
goldfish, milking-machines,
strawberries and even a
live alligator from London
to Copenhagen.

fly freight BEA

THE LARGEST SCHEDULED

AIR FREIGHT SYSTEM IN EUROPE

For full details apply to your Freight Agent, any BEA office; or just telephone WEStern 7227 or WAXlow 4311.

BRITISH EUROPEAN AIRWAYS

THE AIRSPEED "AMBASSADOR"

THE LARGEST BRITISH TWIN-ENGINED TRANSPORT

By E. N. B. BENTLEY

When the Ambassador made its first flight in the summer of 1947, its modern conception and excellent finish gave promise of a very fine aeroplane. In the course of 4½ years a great deal of development has taken place and the Ambassador was granted a normal category Certificate of Airworthiness for carrying passengers, in July of this year. Since then, Airspeed, Ltd., of Christchurch, Hants, has become the Airspeed Division of the de Havilland Aircraft Co., Ltd. A long development period tends to produce a vicious circle, in that new airworthiness requirements are issued in the meantime, and in modifying the aeroplane to meet them still further delays are incurred. Fairly considerable changes were made in the British Civil Airworthiness Requirements in June 1918 and in January 1951, and it seems likely that the incorporation of design modifications to meet these requirements has had some

The basic conception of the design of the Ambassador was high aerodynamic efficiency and ease of maintenance—two extremely conflicting ideals to aim at. The twin-engine arrangement makes for simpler design and servicing and the high aspect ratio wing mounted on top of the fuselage is very efficient aerodynamically. The high power of the engines, necessary to maintain height at full load with one engine stopped, naturally provides a wide range of cruising speeds varying between 210 and 270 knots. The maximum permissible all-up weight of the Ambassador is 52,500 lb., the wing area is 1,200 sq. ft. and total take-off power is 5,250 h.p., giving a wing loading of 43.6 lb. per sq. ft. and a power loading of 10 lb. per h.p. The construction of the aeroplane is, of course, all metal and the retracting undercarriage has twin wheels on both nose and main legs.

High Aerodynamic Efficiency

A distinguishing feature of this aeroplane is the big span wing, measuring 115 ft. from tip to tip, and the triple fins on the tail unit. Contributing to the high aerodynamic efficiency of the Ambassador is the laminar-flow wing profile, the forward part of which is accurately contoured and smoothly finished. The engine cooling and cowling is based on much wind tunnel and full scale research, to give the lowest possible cooling Fuel is carried in the root end of each outer wing, just outboard of the engines, in integral tanks of 500 gallons capacity each. No separate tank, either metal or fabric, is used, the wing structure between front and rear spars forming a petrol-tight container. special plastic skin is sprayed on internally additional safety, and these tanks have been thoroughly tested and tried out in service. This arrangement of fuel storage not only saves considerable weight but enables a good deal more fuel to be carried inside a given wing shape. For special long-range work, with reduced payload, additional petrol can be carried in the wing between the engines and the fuselage, thus in-creasing the fuel capacity from 1,000 to 1,600 gallons. De-icing for the leading edges of the main planes, tail planes and fins is provided by petrol-burning combustion heaters. An unusual refinement is a lamp inset in the nose of the fuselage, on each side, which can be switched on at night to examine the wing leading edges for signs of ice accumulation.

The power plant consists of two Bristol Centaurus air-cooled twin-row, 18-cylinder radial engines, developing 2,625 h.p. each for take-off. The two-stage super-chargers enable the take-off power to be maintained up to an altitude of 9,500 ft. and give optimum cruising performance at 20,000 ft. The all-metal propellers are of the de Havilland four-bladed type and the blades can be moved into negative pitch when required for

additional braking power. The blades are de-iced by electrically heated elements. The introduction of pressurising demands not only the compressors, filters, ducts and controls, but also a fuselage structure, doors, windows and control fairleads, which are airtight in all conditions of stress and temperature. A compressor is driven by each engine and the heat generated during compression is such that no additional heating of the air is required. In fact provision is made for a cooler in the circuit, so that the temperature of the air passing into the cabin is thus adjustable over the full range required for operations. The pressurising is such that ground level pressure can be maintained up to a height of 9,000 ft. and even when flying at 20,000 ft. the cabin pressure is equivalent to that at only 8,000 ft.

The Control Cabin

The control cabin is well planned, with a full set of blind flying instruments for captain and second pilot and a central pedestal, accessible to both, for throttle, propeller, undercarriage, flap and trim controls. The second pilot's seat can be moved back, well away from the instrument panel, to allow him to use a chart board. Brakes are operated by toe pedals, mounted on the rudder pedals, and either pilot can manipulate the nosewheel steering for accurate taxying manoeuvring among other aircraft or near buildings. In addition to the electrically heated windscreens in front of each pilot is an easily opened clear vision window at each side of the cabin. An example of the forethought of the designer is the provision of differentially operating thigh supports for the pilots, which swing up or down as the legs are moved to push the rudder pedals. A Smiths S.E.P.1. automatic pilot is fitted as standard; this is an electronic device, with powerful electric motors, which can fly an aeroplane far more accurately than any human pilot. A wireless operator forms the third member of the flight crew, and he is seated on the port side, aft of the captain, with all the numerous V.H.F., M.F., direction finding, beam approach and other aids which are essential for all-weather flying. In addition to the flight crew, a steward and stewardess are also carried.

Passenger Accommodation

Passengers enter by the usual rear door on the starboard side, which in this case opens upwards and locks in that position. The Ambassador carries its own passenger steps, in a compartment under the floor, is thus independent of the usual mobile steps which have to be wheeled in position by the airport staff. Opposite the entrance is a curtained recess for hanging coats and aft of the entrance are two lavatories furnished with mirror and washing facilities. aft is a freight compartment, with an outside loading door on the starboard side. The scating capacity of door on the starboard side. The seating capacity of the passenger cabin is for 47 passengers and over most of the length the seats are arranged three on one side of the gangway and two on the other. The eighteen seats in the four front rows are backward facing and the remaining 29 are forward facing. Between fourth and fifth rows, which face each other, are folding tables. Every seat is individually adjustable and is provided with a folding table. The large windows, censisting of double plastic panes with dry air sand-wiched between them, give a good view from all seats, there being no wing to obstruct the passing scene. This and the spacious, well lighted and air conditioned cabin all contribute to the wellbeing of the air traveller. At the forward end of the passenger cabin is a bulk-head with a central door, beyond which, on the port side, is a luggage compartment. This, together with

Monthly Air Transport Section

the rear compartment and one in the extreme nose, gives a total capacity of 350 cu. ft. On the starboard side is the crew's entrance door and steward's galley. This is an excellent example of maximum usefulness combined with the minimum of space and weight. efficiency of the galley, and of the stewards, needs to be of a high order if they are to serve and clear away 47 lunches or dinners in the 75 minutes flying time between London and Paris.

In a civil transport the word performance means more than just speed and rate of climb; it includes both safety and economy. One of the most important safety factors is the ability to keep on going after one engine stops, and this implies not only adequate power but adequate controllability. Since the Ambassador has a normal certificate of airworthiness in the international transport category, the single-engine performance can be taken for granted, both in quantity and quality. Under present-day British and international (I.C.A.O.) requirements a C. of A. is not granted until the aeroplane has demonstrated its ability to maintain height, at the maximum permissible all-up weight, with one engine stopped. The gentle stalling characteristic of the wing is another potent factor in achieving safe operation, especially in bad weather flying. The runway length required, to meet LCA.O. conditions of climbing away from take-off when one engine stops at the most critical point, is 1.530 yards. The best cruising performance is at about 20,000 ft. altitude where, cruising at a true speed of 236 knots (272 m.p.h.), the fuel consumption is at a rate of 1.20 nautical (1.38 statute) miles per gallon. If the speed is reduced to 200 knots (232 m.p.h.) then 1.37 nautical (1.58 statute) miles per gallon is achieved. It pays to cruise at high altitude unless the journey is a short one which does not justify climbing to that height and coming down again. At 10,000 ft. the air miles per gallon are practically the same for a given power, but the cruising speeds are 15 to 20 knots slower.

Details of Payload

One of the most important details of performance. from the operator's point of view, is the payload for a The ranges quoted are those in still air (no headwind) after allowing for diversion from the aerodrome of destination to one 200 nautical (232 acrorome of nestmation to one 200 matteral (25) statute) miles away, plus 45 minutes holding before landing, plus 5 per cent. On this basis the payload which can be carried for a 100-miles journey is 11,500 lb. and for 800 miles it is 8,500 lb. This business of fuel reserves is an outstanding example of the price to be paid for an increase in safety. On a 500-miles journey the total fuel carried, to give the reserves quoted above, is sufficient for 880 miles. So that, if no reserves of fuel were carried, the payload could be increased by 1,700 lb., the equivalent of eight passengers and their luggage. In assessing the commercial efficiency of the Ambassador, an obvious means of measuring the progress achieved is to compare it with the Vickers Viking which it will replace.

Operating Economies

The lecture given early this year, before the Institute of Transport, by Mr. Peter Masefield, chief executive of B.E.A.C., on air transport economics, showed some interesting comparisons. The Viking, introduced on the airlines in 1946, carried 24 passengers (it now carries 27) at a normal cruising speed of 170 knots and the direct operating costs per capacity ton-mile are 28.9d. The Ambassador carries 47 passengers at a normal cruising speed of 230 knots and the direct operating costs per capacity ton-mile amount to 22.5d. Graphs shown in Masefield's lecture indicate that the total operating cost per capacity ton-mile, on a 200-miles route, is 16d. for the Viking and 36d. for the Ambassador. On longer stage routes, up to 600 or 700 miles, the costs are somewhat lower, but the difference between the two aircraft is about the same. On a short stage route, such as London-Paris, the landing fees form an unduly large proportion of the

operating costs and one advantage of the Ambassador is that it carries more passengers in proportion to its landing fee. Any significant improvement in cost per ton-mile means much to an airline. This is clearly shown by Masefield's statement that the Viking achieved an annual profit of £8,000 on the London-Paris service, whereas the Ambassador is expected to yield £265,500 a year when operating under the same conditions.

At the inception of the design Mr. A. E. Hagg, F.R.Ae.S., chief designer of Airspeed, Ltd., insisted on high aerodynamic efficiency, and this was demanded not only in the design but also in the quality of construction, where it can have a considerable effect. cost of the Ambassador, at current rates for civil transports, may well be over £150,000. But an airline which makes intensive use of its aircraft will always consider it worth while to pay highly for high commercial efficiency. An improvement of 20 per cent in cost per ton-mile, in five years, is a tribute to the progressiveness of the aircraft industry and a good omen for the future of British air transport. The Ambassador now about to go into regular service with British European Airways Corporation is the largest, most powerful and most up-to-date twin-engined transport in civil operations. The 20 of the Elizabethan class airliners being delivered to B.E.A.C. should put the Corporation well in front of its competitors, both in prestige and in commercial efficiency.

BELGIAN HELICOPTER MAIL SERVICE

Results of First Year

THE first helicopter mail service to be operated on the European continent has completed its first year of activity. The results are highly encouraging, and Sabena Belgian Airlines, the carriers, have drawn the following observations

from their experience.

The helicopter mail service is flown itinerary which goes from Brussels to Libramont, Liege, Tongres, Hasselt, Beringen, Turnhout, Herentals, Antwerp and Brussels, The length is 268 miles. The heliconter lands at each ston to unload mail bags and load new ones; at Libramont and Beringen, refuelling operations take place. During mont and Beringen, returning operations take place, During the first year of activity, more than 50 tons of mail have been carried, which represent some 4,630,000 letters and average 400 lb, ner operation day, Sabena assigned two Bell 17DH heliconters to this service. These machines flew with an average regularity of 91.2 per cent on the whole circuit. an average regularity of 91.2 per cent on the whole circuit, while the regularity at stops reached only 86 per cent, In a helicopter mail service, a technical delay of more than half an hour at the start or en route compels the carrier to interrupt the service, a highly unfavourable factor from the statistical point of view. One of the helicopters is already equipped for instrument flying, and it is hoped that in the near future cancellations or interruptions of services because of bad weather conditions will be reduced.

Punctuality

The percentage of arrivals on time or with a few minutes advance or delay is also a determining factor of a helicopter mail service operation. The Sabena's helicopters' punctuality has been of 89 per cent on the entire lan during this first year of activity, and of 99.6 per cent at the arrival point. Practically, since March last, punctuality at the arrival port has always been 160 per cent. The 268 miles circuit includes 12 stops (two for refuelling operations) and has to be completed in 4 hours 42 minutes at the block to block speed of 63 miles per hour, or commercial speed of 54 miles per hour. During the first year, the average time spent at the different stops has been 35 minutes 30 seconds, i.e., 3 minutes per stop (including refuelling).

Sahana, the Belgian national airline, showed an operating loss of some £84,000 during 1950. The airline's revenues totalled £6,608,000 and expenditure was £6,692,000.

The Norwegian whaling company Melsom & Melsom, Larvik, has ordered a helicouter for use during the 1932-33 whaling season in the Antarctic. The helicopter is a West-land Sikorsky S-31 to be built in Britain for delivery next summer. The helicopter will be installed in the factory summer. The

Monthly Air Transport Section



THE BRISTOL SYCAMORE MARK 10

Ambulance Version of the Type 171 Helicopter

Preliminary details have been released by the Bristol Aeroplane Co., Ltd., of the Sycamore 10, ambulance version of the Bristol Type 171 single-rotor helicopter. Specially designed for air ambulance work and general communications operations, this version is now undergoing an intensive Ministry of Supply test schedule at Boscombe Down. Extensive modifications have been carried out to enable the aircraft to accommodate two G.S. stretchers, which are carried one above the other athwart the machine. To house the stretchers, two large "Perspex" blisters have been incorporated, one on each side of the fuselage. They are detachable and can be replaced by ordinary faired units when the aircraft flies in a normal communications role.

detachable and can be replaced by ordinary taired units when the aircraft flies in a normal communications role. The Type 171's normal sliding doors, which would be rendered inoperative by blisters, are replaced by hinged doors which may be jettisoned if necessary. The lower stretcher is supported by a metal structure which can be



Arrangement of Bristol Freighter for Supply Dropping

A number of Bristol Freighters have been delivered to the Royal New Zealand Air Force, for which they will perform many roles, including casualty evacuation, supply dropping, cargo and troop carrying, and aerial top dressing. This photograph shows one of the Freighters arranged for supply dropping, with a roller installation along which containers are conveyed to the rear of the machine for dispatch through the port rear door

folded back as necessary to provide three normal passenger seats. The upper stretcher is supported by bars normally housed in a vertical position alongside the engine bulkhead; when needed they can be swiftly swung into position and made firm with a quick-release pin. Both stretchers are secured by clamp mechanisms. The engine bulkhead also carries a housing for bottles of plasma and a plug socket for electrically heated blankets for use in cases of exposure or shock. In the air ambulance role the aircraft carries a médical attendant who sits beside the pilot. His chair is of the swivel type to enable him to attend casualties during flight, To give him complete freedom of movement the back of the pilot's seat has been reduced in height. In the normal communications role, the attendant's chair and the rear accommodation provide seats for four passengers.

International Aircraft Brokers' Association

Three Grades of Membership

At a conference in Paris last month the International Air-craft Brokers' Association (IABA) was definitely formed. The Association has as its objects the closer cooperation of airbrokers working internationally, and maintenance of a high standard of ethics in the profession; the general expanhigh standard of ethics in the profession; the general expan-sion of air charter business; liaison with public bodies, governments and associations for the development of that object; the study of documents of carriage and other docu-ments, with the right to produce new ones or improve on existing ones when necessary; the cooperation between the air freight markets already in existence, and generally to help brokers working internationally to transact their

help brokers working internationally to transact their business and to exchange information.

Membership will be divided into three categories: (1) Honorary Membership—those associations, official bodies or individuals which the Council of IABA will consider fit, in its interests, to approach and request to accept honorary membership: (2) Associate Membership—to consist of national associations of aircraft brokers in those countries where such associations exist. These members will have the right to attend all meetings of IABA, and will have the right to one seat on the Council in an advisory capacity, right to attend an meetings of ADA, and will have the right to one seat on the Council in an advisory capacity, but without voting power. Invitations to the national associations already in existence, to become associate members, will shortly be sent out; and (3) Active Membership—will be limited to brokers actively engaged in the chartering of aircraft; the promotion of air charter business generally and the sale and purchase of aircraft. These members will have full voting powers, and will be eligible for election to the Council. The permanent headquarters of the Association will be established in Paris, but until accommodation is available, the administrative headquarters will continue to be c/o E. A. Gibson & Co., Ltd., Cunard House, Leadenhall Street, London, E.C.3.

At the conference, 30 firms of brokers gave an undertaking to join IABA, and 25 undertakings to join were received by proxy. The Council will consist of one active member from each country represented in the Association, and will appoint its own chairman. Each applicant for membership is to be investigated closely as to nature of business, financial standing and general reputation. In the

membership is to be investigated closely as to nature of business, financial standing and general reputation. In the active members' section, no broker will be allowed to join unless he is actively engaged in the charter business, For-warding agents, travel agents and members of any associa-tions will not be excluded from joining because they act in other capacities as well, but any avistion activity other than chartering or sale and purchase will not necessarily give them the proper qualifications to become members of the Association.

In May 1951 the de Havilland Aircraft Company announced that the French shipping concern Chargeurs Réunis had signed a purchase contract for two Comet Series 1 aircraft signed a purchase contract for two Comet Series 1 aircraft (de Havilland Ghost turbines) for the replacement of piston-engined airliners on the routes of its associate company, the Union Aero-Maritime de Transport, which connect Paris with French Equatorial Africa and Indo-China. On October 30, a further contract was signed increasing the number to three Series 1 Comets, Chargeurs Réunis also holds an option for Series 11 Comets with Rolls-Royce Avon axial engines. Union Aero-Maritime de Transport has developed an efficient operating and maintenance organisation, and it benefits operating and maintenance organisation, and it benefits from the long experience and worldwide traffic handling system of the Chargeurs Réunis, for both passengers and freight.

CHANGING CONDITIONS IN AIR CHARTERING

ANNUAL REPORT OF THE BRITISH INDEPENDENT AIR TRANSPORT ASSOCIATION

THE first annual report of the British Independent Air Transport Association for 1930-51/opens with an elucidation of the manner in which conditions in the industry have entirely changed in comparison with preceding years. The entirely changed in comparison with preceding years. The previous four years were extremely difficult ones, resulting in the discouragement of the operators and the consequent closing down of a considerable number of air transport organisations. Several of the unfortunate companies which had suffered reverses, and had found the restrictions too crippling, were glad to sell their aircraft to recoup losses. Most of the Dakota aircraft formerly operating in the country were sold to overseas buyers and in many cases the sellers closed down and their assets were acquired by over outlinistic concerns. The only comparable development more optimistic concerns. The only comparable development on the reverse side was the purchase in 1951 of a large number of B.O.A.C. York aircraft by one of the leading air transport operators.

This has meant that there has been for much of the time This has meant that there has been for much of the time lack of opportunity for aircrews and other staff; skilled personnel have been forced to seek employment in other fields and their experience has been wasted or completely lost. The main causes of these diffigulties have been the restrictive conditions under which the companies have operated and the inheritance of postwar unsettlement. The inevitably increasing demand for air transport has been slow in making itself felt, but with the gradual realisation of the value of speed and the economy effected in other directions by the use of air transport, together with the Government demand for aircraft arising from political events, the failure to find sufficient work to satisfy the needs of the operators has given way instead to a shortage of of the operators has given way instead to a shortage of air transport facilities. Consequently, there has been in general satisfactory employment of the independent companies' aircraft. Summing up, the outcome of the year's operations has been the elimination of a heavy percentage of the operators and the consolidation of the remaining companies.

Main Objects of Policy

This change in the nature of the air transport industry also the fact that the operators are not now engaged by in charter work, that is, many of them are running duled services and are important Government conscheduled services and are important Government con-tractors, has necessitated a change also in the style and structure of the Association. A further change which will affect the Association. A further change which will affect the Association even more than the alteration in its style and structure is the election of a new Government. This has led the Association to formulate its intentions with regard to the immediate future and B.I.A.T.A. policy is out as under:

Restoration of a wide measure of freedom for private enterprise by revision of the Civil Aviation and Corporations Acts of 1949, which policy should be reflected indirectives to Colonial Governments.

Pending the necessary legislation, the existing Acts to be indirective to the control of t

Pending the necessary legislation, the existing Acts to be interpreted more liberally towards private enterprise and the field of charter work to be primarily reserved for the independent operators.

The setting up of a statutory licensing authority for the approval of air transport organisations and their

operations.

A return to the principle of airport management by municipal and private enterprise,

Free Enterprise in Civil Aviation

The Association has long urged drastic economies in the administration of civil aviation and has always contended administration of civil aviation and has always contended that the present system of nationalised airways and a large Government department, being occupied to a great extent in upholding restrictions to sustain controls, is an expensive method of directing the industry. It is hoped that the Government will effect the reforms called for and the considerable saving of public money which would ensue. It should be possible in the near future to estimate the measure of flexibility that will be introduced in the air transport industry and the fuller share of economic activity for free enterprise that operating companies may enjoy in consequence.

Many of the problems with which the operators have to contend arise directly or indirectly from international requirements. The Association has therefore consistently engaged in correspondence with the International Civil Aviation Organisation and the Ministry of Civil Aviation and has attended many meetings with a view to obtaining

relief of onerous requirements. B.I.A.T.A. has given special

The definition of a scheduled international air service and the interpretation of Article 5 of the Chicago Con-

ention. The removal of the requirements for independent

operators' aircrews to have visas and passports.

Flights abroad: The curtailing of prior notice requirements to not more than 24 hours in advance of the time of landing in the country concerned and automatic approval for specified types of operation.

The limits of insurance and conditions applicable under the Warsaw Convention, and the Draft Convention for the unification of rules relating to the liability of the carrier.

The limits of liability and the system of jurisdiction governed by the Draft Convention on damage caused by foreign aircraft to third parties on the surface.

Associate Agreements

Following on a meeting with the Minister of Civil Aviation, and a proposal that there should be meetings between the Corporation and the independent operators, a series of meetings was convened. The Association thought that the Corporation should disclose its plan of operation for the next five years so that operators' fears that the more lucrative routes would be taken away from them might be settled. The independent operators also outlined their plans and the outcome of the meetings was in general a wider understandoutcome of the meetings was in general a wider understanding of the position, although it was apparent that operators would lose some routes. The Corporation confirmed that would lose some routes. The Corporation confirmed that they were not interested in charter work as such, that they were leaving the charter market and would undertake only the odd charter and then only on their own routes, result of the Association's efforts in connection with result of the Association's efforts in connection with asso-ciate agreements has been the extension of the duration of agreements from two to five years. Since that time it has been made clear to the Minister by the Association that a lack of enthusiasm in undertaking associate routes was available for a short-term programme and the purchase of aircraft could not be justified unless agreements were ex-tended to ten years. There has been considerable sympathy for this point of view, and a ten-year agreement was granted to one operator. Since the change of Government, however, the issue of long-term agreements has been postponed as an interim measure in order that the present Minister, Mr. J. Maclav, may review the general policy with a view extending opportunities for private companies.

Combined Air-Sea Travel Agreements

Negotiations are taking place between the British Over-seas Airways Corporation and certain Mediterranean ship-oning companies to make available in the Mediterranean and Middle East area booking and fare facilities similar to those now existing in the western hemisphere. The advantages of an air journey in one direction and a sea voyage on the now existing in the western hemisphere. The advantages of an air journey in one direction and a sea voyage on the return, or vice versa, both of them at half of the respective return fare, are already available to bassengers on certain B.O.A.C. routes. The complete return ticket, covering both the sea and air journey, can be booked with either the Corporation or the shipping line concerned, B.O.A.C. has agreements with three shipping lines to enable passengers to take advantage of these arrangements. One of these is with the Farrell Lines between the United States and South or East Africa, Similar arrangements onerate with the with the Farrell Lines between the United States and South or East Africa, Similar arrangements operate with the Furness Bermuda Line for journeys between the U.S.A. and Bermuda. The agreement with Moore-McCormack Lines applies to passengers on round trips either within the western hemisphere or between points in the western hemisphere and Europe. Thus, for example, a passenger may sail from New York to Buenos Aires and then fly back to New York by B.O.A.C. via Europe on one ticket.

The Union of South Africa Government has agreed that

The Union of South Africa Government has agreed that the Australian Government should institute a bi-weekly air service to South Africa, to start on July 1, 1952.

Silver City Airways, whose Lymone-Le Touquet air ferry service carried 13,000 cars over the Channel during the season recently ended, are to begin a similar additional service between Eastleigh, Southamnton, and Maupertus, Cherbourg. At first, two Bristol Freighters will be used, operating an hourly service.

IF ROPE COULD TALK . . . -

"Stop pinching me, you pulley!"



WRONG Pulley groove too narrow



WRONG
Pulley groove too wide



RIGHT
Pulley groove correct—supporting the rope for 1/3rd. of its circumference

You can't punish ropes and expect to get the best out of them. So watch your PULLEYS and SHEAVES.

The radius of the groove of a pulley should always be slightly larger than that of the rope passing over it. If the groove is too narrow, it will crush the rope and soon damage the wires. If too wide, the rope not only wears more quickly at the point of contact but also cuts a false groove in the pulley.

With sheaves, oil the bearings at frequent intervals and check that they rotate freely. A seized up sheave can ruin a rope very quickly. Watch alignment too; see that sheaves, drums and pulleys are set exactly in line with the rope that is working over them.

Pin up this announcement where your staff can see it. It is issued in the interests of longer rope

British Ropes Limited

trumpet for blowing



cap for throwing in the air



flag for waving

why the excitement?

We have pleasure in announcing that we have now received

orders from over 340 shipowners for the fitting of more than

1500 DECCA radars

GERMAN SHIPPING AND SHIPBUILDING

BUILDING UP THE WEST GERMAN FLEET : BUSY SHIPYARDS

By a Special Correspondent

According to Lloyd's Register of Shipping in October there were 139 ships with a total gross tonnage of 130,927 tons under construction in Western Germany. After Great Britain, France and Japan, the German shippards now occupy the fourth place in world shipping the great part of the tonnage to be built is ordered from abroad while German owners, owing to their lack of capital and the shortage of public money, have to restrict their plans. Nevertheless the reconstruction of the German merchant fleet is proceeding and today nearly all prewar shipowners again are active; but there is a great difference between rebuilding in the liner companies and in the tramp fleets.

The tramp owners have in part replaced their prewar tonnage. Those shipowners especially whose ships ply in Continental trade have reached about 50 percent of their prewar tonnage. Tramp ships of the Liberty size, i.e., of about 10,000 tons d.w., are needed for carrying grain, ore and coal in bulk in the ocean trades. A certain number of ships for this purpose are under construction or on order, but the shortage of German tonnage of this size will continue. The new German tramp fleets, moreover, suffer a further disadvantage.

As the yards, after the removal of the shipping and shipbuilding restrictions, could not build quickly enough to cover the requirements of the shipowners, most of these bought secondhand ships from abroad to replace their war and postwar losses as far and as quickly as possible. But these ships are of a great age and low speed and, though these facts are not at the moment very important, they will be a handicap to the industry if the shortage of tonnage in the world diminishes and only modern and fast ships can bring profit to their owners. It seems that the first stage of development in rebuilding the German tramp fleets is closed, for the shipowners today are not trying to enlarge their fleets at any cost. Indeed, they buy only high powered and modern ships, and in many cases prefer to give an order to a shipyard, although the term of delivery often exceeds two years or more.

The Liner Fleets

The German liner companies had to suffer even greater disadvantages, and the rebuilding of the fleets of those companies, which owned most of the German seagoing tonnage before the war, proceeds only slowly. Though some regular services are in operation the number of owned ships is small, and for most of the regular sailings ships are chartered. To give an example, the Hamburg-Amerika Line now has in service 7 liners of 2,700 or 5,000 tons gross each compared with 109 ships of all sizes in 1939; and the Hamburg-Süd-Amerika Line now has three ships of 7,000 tons gross each running under its flag, against 52 of 3,000 to 27,000 tons gross in 1939. An increase of German liner tonnage can be expected at the end of next year, when the first fast cargo ships, ordered in April 1951, after the restrictions against shipbuilding in Germany were lifted, come into service. It seems remarkable that all ships ordered up to date are cargo liners and fitted chiefly for the quick loading and discharge of cargo. There is, however, cabin accommodation for anything up to 12 passengers, and this accommodation is comfortable and spacious. The only exception is a train and car ferry of about 4,000 tons gross, which was ordered by the German Railways for the new Grossenbrode-Diedser service.

German tanker owners have rebuilt their fleets in part. A number of coastal and medium-sized tankers are now flying the German flag. Most of them were purchased from abroad and only a few of 1,750 to 2,750 tons d.w. are new ships. The largest tanker is the Roland, which has entered service recently. This ship was built in 1936 by the Deutsche Werft, Hamburg-Finkenwarder, and was damaged during the war. In 1950 the ship was purchased as a wreck by a German company and towed from the Piraeus to Bremen, where the A.G. Weser rebuilt and lengthened her. With a deadweight capacity of 17,750 tons, this tanker today is the largest German merchant ship and the most modern unit among Germany's ocean-going tankers. Among the many new contracts for tankers signed with German yards there are two contracts from German shipowners. A motor tanker of 16,500 tons d.w. and about 11,600 tons gross was ordered by John T. Essberger; and Ernst Russ, new to tank shipping, also ordered a motor tanker of 18,000 tons d.w. and about 12,000 tons gross. Both ships are to be built by the Deutsche Werft, Hamburg-Finkenwarder.


Supply Difficulties


The German shipyards are fully engaged up to the end of 1953. As mentioned above, a large proportion comes from abroad, most of them from Panamanian owners, with others from Britain, Sweden, Norway, Netherlands, Denmark and Honduras. Even Switzerland is to be found among the countries which have ordered ships from German yards. To carry out all these orders would not be difficult, but there is a great shortage of steel, especially rolled plate, and so the terms of delivery can not always be fulfilled. A further obstacle in shipbuilding is the scarcity of diesel engines, which can be delivered only under difficulties. Both these facts are caused not by an insufficient capacity in the plants, but by the shortage of coal and raw materials. Some yards and factories quite recently had to dismiss some of their workers. The yards engaged the workers only a few months ago and there is plenty of work.

The Smaller Yards

Remarkable as it seems, however, the fact is that even some smaller yards are beginning to build big vessels, although they have to suffer more under the shortage of steel than the large yards, which have old ties with the heavy industries. The reason for this change is the lack of orders for inland water traffic and inshore fisheries. So the yards previously occupied in building small craft and river vessels have applied for orders for coastal and seagoing ships, and since the larger yards prefer to employ their capacity in very large vessels, some contracts were immediately signed with yards new to the building of medium-sized seagoing vessels. The following smaller yards are of some importance: (1) The Nobiskrug-Werft at Rendsburg (Kiel Canal) which has, among other vessels up to 4,500 tons d.w., orders for four motorships of about 1,500 tons gross each, 2,625 tons d.w. and a service speed of 16 gross each 2,023 tons and a structure of the United Baltic Corporation, Ltd.; (2) The Eisflether Werft, Elsfleth/Weser, which has on order ships up to 4,000 tons d.w.; and (3) The Mützelfeldt-Werft, Cuxhaven, which is building a refrigerated cargo ship of 1,300 tons.

Some of the smaller Hamburg yards are also notable for having on order nothing but coasters and small harbour crafts, because the inland traffic on the upper River Elbe has come to a standstill on account of the "Iron Curtain." So the vard of Ottensener Eisenwerke A.G. is building ships up to 2,800 tons d.w., G. Renek, jr. K.G., at Hamburg-Harburg, ships up to 2,000 tons gross, and August Pahl, Hamburg-Finkenwärder, ships up to 1,400 tons. The three yards of W. Holst, J. J. Sietas and Heinrich Rancke, in Hamburg-Neuenfelds, are also building ships up to 1,200 tons d.w.





THE CARGO STEAMSHIP "BELTINGE"

FIRST OF THREE BULK CARRIERS BUILT BY GRAY'S FOR CONSTANTS

THE GREAT majority of cargo ships built for British owners since the war have been shelterdeck vessels not unlike the wartime 10,000 tons deadweight standard design, except in choice of machinery and service speed, indicating the continued trend towards larger sizes in the evolution of the economic tramp. There has been a feeling for some time, however, which has frequently a feeling for some time, nowever, which has requested, found expression in The Shipping World, that there was a need for smaller ships better fitted to carry the heavier bulk cargoes, that is, "deadweight" rather than "cubic" cargoes, and it is therefore interesting to examine the design of the single-screw steamship Beltinge, the first of three similar ships ordered from William Gray & Co., Ltd., by Constants (South Wales),

This vessel completed trials and was handed over to the owners on October 12, and was followed by the Garlinge on November 30. The third vessel is due for completion during 1952. These ships have been built under the supervision of Constants, naval archibuilt under the supervision of Constants, navai areni-tects, of London, to a design specially adapted to the carriage of coal, ore, phosphates, and all kinds of timber cargoes, based on the owners' experience of more than 25 years in these trades. The principal particulars of the Beltinge are as

					340 fc.
Length between perper	ndicular	rs			320 ft.
Breadth, extreme					46 ft. 6 in.
Breadth, moulded					46 ft. 4 in.
Depth moulded to upp	er deck				24 ft. 3] in.
Loaded draught, mean					20 ft. 6 in.
Corresponding deadwe	ight				4,628 tons
Gross tonnage					2,979 tons
Cargo capacity (grain)					207,000 cu. ft.
Water ballast capacity					975 tons
Oil fuel capacity					530 cons
Fresh water capacity					100 tons
Propelling machinery :				engines	with single scr
Loaded service speed	***	***		***	10.5 knots

As a result of the long experience already mentioned in the carriage of high density cargoes, the owners' specification called for solid floors on all frames, with double bottom tank top plating and deck stringers and plating of increased thickness. The tank and tunnel tops themselves are covered with permanently fitted sheathing to minimise grab damage, while the tunnels and all air and other piping in the holds are protected by portable steel plating. The hatchway coamings are of specially strong design, the tops being level with the bulwark tops. The hatchway beams, designed to give increased strength for timber cargoes, are held in cast steel slides on the inside of the coamings. The wooden hatch covers are protected by Cock's open-end

The ship is of the single-deck type with short poop, bridge and forecastle erections, of which the bridge and forecastle are largely tonnage exempted spaces. The poop contains accommodation for seamen and firemen as well as the steering gear compartment. There are four large holds, of lengths between 52 ft. and 62 ft. 6 in. Oil fuel is carried in a deep tank forward of the machinery space, in wing tanks abreast boilers, and alternately with water ballast in the double bottom in this region only. All other doubledouble bottom in this region only. All other double-bottom tanks are for water ballast only, except for two tanks in way of the engines, these containing domestic and feed water. The fore and after peaks and after peak extension are water ballast tanks. The stem is raked and of rounded plate construction above the waterline. The cruiser stern is of orthodox design, and the rudder is of the double-plate streamlined type. Superstructures include the officers' deckhouse on the bridge with captain's and hospital houses on the boat deck, the navigating house above and a petty officers' house on the poop.

Six 5-tons derricks are fitted, Nos. 1 and 4 holds each being served by one derrick and the other two holds each by two derricks. These are operated by holds each by two ucriticals and winches. A further rin, by 10 in. Clarke, Chapman winches. A further rin, by 10 in. winch by these makers, fitted on the poop deck, is used for warping. The steam windlass is an Emerson Walker unit. A Donkin steam steering gear of the Wilson Pirrie type is fitted with telemotor control. The domestic refrigerating plant has been supplied by J. & E. Hall, Ltd., and the mechanical ventilating system by Thermotank, Ltd. Steam radiators provide cabin heating, while as the ship may spend time in tropical climates, extensive awnings are fitted over all accommodation. Two 26-ft. wooden lifeboats, one of these being fitted with a motor, are carried in mechanical davits of the crescent type. A 15-ft. jolly boat is arranged under one davit on the starboard side of the boat deck. A comprehensive system of wireless telegraphy with direction-finder and echo-sounder, has been supplied. There are telephones between bridge and engine room and bridge and poop.

The deck, engineroom and radio officers, except the chief officer, are accommodated in the bridge deck-house, which also contains catering staff rooms and

messrooms and dining saloon for all persons on board. The dining saloon is designed to combine smoke room facilities. It may be noted that though all messing spaces are amidships in a position convenient to the galley, the crew have a separate common or recreation room in the poop adjacent to their own cabins. arrangement seems to combine the need for centralised arrangement seems to combine the need for centralised catering facilities with privacy for the crew's recreation away from officers' accommodation. The seamen and firemen are berthed in two-berth rooms with single rooms for the donkeymen and carpenter in the poop and a single room for the bosun in the poop deck-house. The captain's suite, comprising day, bed and better the control of the company to the compa bath rooms, together with the chief officer's and pilot's room, are arranged in the forward boat deckhouse, the smaller house aft on the boat deck containing a singlebed hospital.

propelling machinery comprises expansion steam engine with cylinders of 20, 55 and 31 in. diameter and 39 in. stroke, with two oil-fired boilers each 13 ft. by 11 ft. 6 in., all constructed by the Central Marine Engine Works of the shipbuilders. The engine has the builder's drop-type valves on the H.P. and M.P. cylinders. The boilers operate under forced draught and with superheat. Progressive speed trials under loaded conditions, were held on the Newbiggin measured mile, during which the ship exceeded the contract speed of 10½ knots.

Diesel Tugs for Colombian Rivers

Ox the Magdalena River, in Colombia, diesel-powered On the Magdalena River, in Colombia, diesel-powered tunnel-stern "pusher type" river boats are rapidly replacing the old sternwheelers. During the past few years river operators have come to recognise the advantages of this new equipment. The new river tugs have ranged from 40-ft, single-screw vessels of 100 h.p., to triple-screw 65-ft. vessels of 750 h.o. Even the largest of these is hardly remarkable for its size, but it is noteworthy that this amount for operation, draws only 3 ft, of water. This power in a vessel of light enough draught to operate successfully vesser of light choigh draught to operate successfully during the dry season and yet sturdy enough to stand up under continuous operation requires skilful planning and building. At 3-ft, draught these boats can operate the full navigable length of the Magdalena River (560 miles) all the year round, whereas the old heavy sternwheelers were often laid up for months and sometimes stranded on sandbars

laid up for months and sometimes stranded on sandbars for long periods. The Union Industrial y Astilleros Barranquilla is a modern shinyard located at the mouth of the Magdalena River. Last year it huilt four large triple-screw tugs and twenty 400 to 500-tons barges. At present six additional tugs and ten barges are under construction. The Barranquilla shipyard, after its reorganisation in 1945, was put under the management of Todd Shinyards Corporation. The Santa Rita is typical of the tugs now being used on the Magdalena. Designed and built by Union Industrial y Astilleros Barranquilla for Senor Martin Vasquez P., it was delivered in November 1950. It is a triple-screw tunnel-stern vessel of welded steel construction, with a length of 65 ft., a beam November 1950. It is a triple-screw tunnel-stern vessel of welded steel construction, with a length of 65 ft., a beam of 25 ft, 6 in., a depth at sides of 5 ft. 5 in. and a draught, with fuel, of 3 ft. It is propelled by three diesel engines, each develooing 150 h.o. at 1,000 r.p.m., and turning four-bladed east steel propellers through 1,96:1 reverse and reduction gears. It has a designed speed with tow of 10 m.o.h. in still water, on a fuel consumption of 28 gallons of diesel oil over hour. Accommodation is provided for a crew of 23. The vessel is licenced to handle tows of un to four barges, loaded with a maximum of 1,080 metric tons of cargo unstream and 1,280 metric tons downstream. This of eargo unstream and 1,280 metric tons downstream. This means a maximum weight of two (barges and cargo) comes to about 1,500 metric tons upstream and 1,700 metric tons downstream

Recent contracts for Vi-Spring Products, Ltd., include the supply of 1,335 "Vito" mattresses for the Dutch liner Johan Van Oldenbarnevelt and 874 "Vi-Spring" mattresses for the Empire Breat.

A FISHING VESSEL recently launched at Seattle, U.S.A., is fitted with a Lister (CD) 8 h.b. diesel engine for auxiliary power. This engine drives a 2 kW generator and the fire and hige numbs, and will also provide the necessary power for a refrigeration plant to be installed later.

RECENT TECHNICAL DEVELOPMENTS

Götaverken Tanker Load Calculator

An electrically operated load distribution calculator has heen produced by Götaverken A/B, Gothenburg, under the trade name of "Lodicator." It was designed by Mr. Lennart Swenson, an assistant naval architect at the Götaverken shipyard, and patents have been applied for in all maritime countries. The Lodicator, which is illustrated on this page, countries. The Lodicator, which is illustrated on this page, is in effect an electric calculating machine. It is fitted with a number of knobs, each corresponding to one of the cargo spaces on board, and graduated in tons. The machine is set by turning each knob to correspond with the number of tons of cargo in, or intended to be in, each cargo spaces to the possible to read on a dial if the distribution stands within the limits of safe trim which have been set, or not. The instrument must, of course, be initially adapted to suit the strength requirements of every individual ship. or not. The instrument must, of course, be initially adapted to suit the strength requirements of every individual ship. It enables officers to calculate in a few minutes how the cargo should be distributed in the different tanks in order to avoid excessive longitudinal stresses. This operation can



The "Lodicator"

take place before the cargo is loaded. The use of the Lodicator will also be beneficial when judging the new load distribution situation when a tanker has unloaded part of distribution situation when a tanker has unboaded part of its cargo before proceeding to another port. Calculations of this kind previously have required much time and study, and it is the common practice of officers to rely mainly on their own experience and general rules when the cargo is distributed in the ship. The dimensions of tankers are increasing steadily, as is the number of tanks in the ship, factors which have increased the complication of load distribution calculations. The new Lodicator was first installed in the motor tanker Margaret Onstad, completed in July for Skibs A/S Alse, of Oslo. Three other tankers have already been supplied with the new instrument, and it is intended that all tankers delivered by Götaverken in future will be similarly equipped. will be similarly equipped,

New Emulsion Paint

New Emulsion Faint

International Paints, Ltd., are marketing a new emulsion paint called "Interlight" which has some interesting properties. It contains no natural drying oils and it is therefore unaffected by alkalis. Consequently it may be applied to new plaster without fear of saponification once it has reasonably dried out. Although it is thinned with water "Interlight" has oil paint durability and may be applied to a wide variety of surfaces—wood, plaster, plaster board, hardboard, asbestos sheeting and so on. It may also be applied over metal that has been previously painted. In addition to being resistant to alkalis, it is also unaffected by normal acids. It does not putrify and is resistant to fungus growths, alightatic hydrocarbons, vegetable oils or animal fats. It has an attractive and extremely durable surface, which makes it suitable for interior decoration.



Survey Launch "Research"


Built by Thornycroft for Port of Bristol Authority

Built by Thornycroft for Port of Bristol Authority has been constructed by John I. Thornycroft & Co., Ltd., at Hampton-on-Thames, and has completed successful trials. The boat, which is named Research, is 53 ft, in length with a beam of 12 ft., and draws 3 ft. 9 in. The hull is of normal round bilge form, with a raked stem and canoe stern, Mahogany is employed for the planking, which is of carvel construction on closely spaced steamed oak timbers. Below water the hull is sheathed with Muntz metal, and this is carried up to a level 4 in, above the water line.

The launch is to be employed mainly for surveying and recording the movement of sand and mud banks in the port of Bristol area. For this ourpose she is fitted with a Kelvin-ilughes echo sounder. Type M821A. This set, which is installed in the wheelhouse, gives readings to a depth of \$50 ft, with a maximum accuracy of 3 in. Its transmitting and receiving tanks are fitted to metal plates let in to the skin planking. It is operated from a 36-volts supply. Hand sounding can also be used, and a leadsman's platform is fitted for this purpose on the starboard side of the forecastle.

In general, surveying is to be carried out from the wheel-pouse, which is in the centre of the heat and is fitted with

fitted for this nurrose on the starboard side of the forecastle. In general, surveying is to be carried out from the wheelhouse, which is in the centre of the boat and is fitted with large glass screens all round. Two hatches are fitted in the deckhead, so that if necessary the surveyor can stand on a small platform with his head and shoulders protruding through the deckhead to take observations outside. An interesting accessory is a long reel of wire, which is mounted on hearers on the foredeck. This is employed when it is required to plot a position near the shore with particular



A Thornycroft external heat exchanger in position outside the hull

accuracy. One end of the wire is anchored on shore, and it is then paid out to the required distance, when a single bearing serves to fix the position of the boat.

The accommodation is arranged to allow the vessel to be used on occasions by the Docks Committee for port inspections. There is a large saloon aft, which may be entered by a ladder from the quarter deck. This is fitted with cushioned locker seats and nesting tables. There is a hinged skylight, and windows are fitted in the trunk. Forward of the saloon is a lobby, with a toilet to starboard and a small galley to port, leading through the engine room to the wheelhouse. This latter is at deck level, and has beneath it a surveyor's store. Further forward, the forecastle contains the crew's quarters, with locker seats fitted with mattresses. There is ample cubboard space, and a washing basin and toilet are fitted at the fore end.

Machinery Arrangement

The machinery consists of two Thornycroft RTR 6 (Ricardo) diesel engines. These engines normally develop a maximum of 65 h.h.n. each at 2,250 r.p.m., but in this case have heen set to develop some 55 b.h.n. each at 2,100 r.p.m., giving the boat a maximum speed of nine knots. They drive twin propellers through 2:1 reverse-reduction gearing of the oil operated type, supplied by the Self-Changing Gear Company. Company.

Company.


The engines are fitted with Thornyeroft patent combined clutch and throttle controls. With this system there is a single lever on each gear which controls both ahead and astern motion and engine speed. This ensures that the engine is throttled down before the clutches are operated. In the Research, the controls are taken to a dual telegraph-type transmitter, giving very flexible control, which is mounted in the wheelhouse alongside the wheel. When both engines are to be moved together, only one hand is necessary for constitution of the telegraphs, allowing the halmagen. sary for operation of the telegraphs, allowing the helmsman to continue steering at the same time.

to continue steering at the same time.

The vessel will have to operate in sand-laden water, and the stern tubes are fitted with sand-excluding glands. In addition, external heat exchangers are fitted. With these, a closed circuit cooling system is employed, and the fresh water is led through tubes outside the hull, which are cooled by direct contact with the sea. No salt water pump is thus required.

thus required.


These external heat exchangers, one of which is illustrated (left), have been fitted by Thornycroft's for a number of years with comblete success. Some have been in service on the Thames for three years, and a tube has never yet had to be replaced. The heat exchangers are always mounted close to the keel, where they are well shielded in the event of the craft grounding. Each consists of eight copper tubes 7 ft. 6 in, long, mounted in rubber in gunmetal headers. The whole installation is 3 in, wide, and protrudes 2 in. The tubes are paralleled in pairs, so that the cool ng water flows the length of the exchanger four times before being returned to the engine. In the Research there are two, one for each engine, mounted either side of the keel about amidships.






Launch of the "Clutha River"

The launch took place on November 29 from the Hebburn-on-Tyne yard of R. & W. Hawthorn, Leslie & Co., Ltd., of the single-screw motor tanker Clutha River, building to the order of the British Empire Steam Navigation Co., Ltd. The christening ceremony was performed by Miss Angela Warwick, daughter of Mr. C. W. Warwick, a director of the British Empire Steam Navigation Company. She is accompanied in the picture reproduced above by (from left to right) Mr. H. B. Robin Rowell (chairman of the shipbuilders), Mrs. C. W. Warwick, Sir Philip Johnson (managing director of the shipbuilders), Lady Johnson, Mr. C. W. Warwick, and Mr. Peter Warwick. The Clutha River will carry a deadweight of about 18,000 tons. Her principal dimensions are about 557 ft. length o.a., 70 ft. breadth moulded and 39 ft. 6 in. depth moulded to upper deck. She will be propelled by a Doxford-type diesel engine having six cylinders, to be supplied by the shipbuilders



Fruit Carrier for Israel

A sister ship of the Rimon completed earlier this year, the single-screw fruit carrier Tamar has been delivered to the Zim Israel Navigation Co., Ltd., of Haifa, by N.V. Scheepswerf en Machinefabrik "De Merwede," v h van Vilet & Co., Hardinxveld. She is a vessel of 2,372 tons gross and has dimensions of 352 ft. 7 in. length o.a., 326 ft. 5 in. b.p., 46 ft. 7 in. breadth mouiled, 28 ft. 3 in. depth to shelter deck and 20 ft. 2 in. depth to tweendeck. Her deadweight capacity is 4,062 tons when loaded to summer freeboard. The Tamar is of the closed shelterdeck type and has three main cargo holds and tweendecks. For cargo handling purposes there are, one 15-tons derrick, two 3-tons and eight 5-tons derricks served by electric winches. There is accommodation for 12 passengers. The propelling machinery has been supplied by Maschinenfabrik Augsburg-Nurnberg A.G., of Augsburg, and consists of a 10-cylinder two-stroke single-acting diesel engine. The engine develops 3,000 b.h.p. and provides the ship with a loaded speed of 14 knots



Motor Cargo Liner for Alfred Holt

The single-screw motor cargo liner Atreus has been completed at the Naval Yard, Walker, of Vickers-Armstrongs, Ltd., for the China Mutual Steam Navigation Co., Ltd. (Alfred Holt & Co.). Of about 8,300 tons gross, the Atreus has a length o.a. of 487 ft., breadth moulded 62 ft., and a depth moulded of 35 ft. 3 in. A deadweight of about 9,000 tons is carried on a draught of 28 ft. A service speed of 15½ knots is maintained by a 7-cylinder two-stroke single-acting B. & W.-type diesel engine. The engine was supplied by John G. Kincaid & Co., Ltd., and develops 7,000 to 7,600 b.h.p. in service

NEW CONTRACTS

	No. of	1		in Great Brit	Dimensions		eland Propelling	Total	Engine	1
Shipowners	Ships	Type	Gross	Deadweight	(ft.)	(knots)	Machinery	h.p.	Builders	Shipbuilders
A/S Tanktransport, Tonsberg	1	Tanker	-	18,000	-	-	Diesel	-	-	Sir James Laing
General S.N. Co.	1	Cargo		1,400	260 o.a. × 40	13	Sulzer diesel	(MORE)	-	S P. Austin
Scottish owner	1	Cargo	-	1.400	_	-	Diesel	_	-66-	Ailsa S.B.
Clyde Nav. Trust	1	Bucket dredger	-	_	- 1	-	-	-	-	Fleming & Ferguson
				Commonwealt	h and Foreig	n Yards				
Sigval Bergsen & Co., Stavanger	1	Tanker*		32,000	-	-	_	-		Eriksbergs M V., Gothenburg
A/S Oddero. Kristiansand	ı	Cargo		7,000	-	-	Diesel	-		Kristiansands M.V
Ingvald Biorneboe's Rederi A/S, Kristiansand	1	Cargo		3,550			Steam	-	-	Trandhjems M.V.
Jakob Mische, Bergen	1	Cargo		700		-	Diesel		-	Seutelvens M.V., Fredriksstad
Haugesund owner	1	Cargo	page 1	750	-	-	Diesel	-	auto.	Seutelvens M.V.
Soc. Mazout Transports, Paris	1	Tanker	-	27,000	-	-	-	-	-	Ch. et Atel de St. Nazaire (Penhoet)
French owner	1	Cargo	-	7,700	-	-	_	-	_	Atel et Ch. de la Loire, St. Nazaire
French owner	1	Cargo	-	1,800	-	-	_	-	-	Atel. et Ch. de Bretagne, Nante
Norwegian owners	2	Cargo	_	920 (each)	-	11.5	Diesel	750 (each)	-	Travewerft Ebschner & & Gabler, Lubeck
Hamburger Export- Import Grosshandling Luft, Maack & Co., Hamburg	1	Cargo	500	850	213,3	11.5	M.A.K. diesel	750	-	Rolandwerft, Bremen
Reederei Thoering & Co., Hamburg	1	Cattle carrier	-	500	-	-0.00	-	-	-	Nobiskrug Werft Rendsburg
Hans Svenningsen, Copenhagen; A. E. Sorensen, Svendborg; Rederiet Elin S., Svendborg (1 each)	3	Cargo	500 (each)	-	-	-	Diesel	-	-	Svendborg Skibs.
S.A. Soc. Navale Caennaise	2	Cargo	-	1,650 (each)	-	-	-	-	-	S.A. des Ancien Ch. Dubigeon, Nantes

^{*} This order replaces a contract previously arranged for a tanker of 18,000 tons d.w.

LAUNCHES

Yards in Great Britain and Northern Ireland Shib's Name Approximate Tonnages													
Date	Shipowners	and/or Yard No.	Туре	Grass	Deadweight	Dimensions (ft.)	Speed (knots)	Propelling Machinery	Total h.p.	Engine Builders	Shipbuilders		
Nov. —	Manchester Ship Canal Co.	M.S.C. Quarry	Tug	160	-	95 o.a. × 24 × 12	-	Twscr., 4-cyl, diesel	1.200	Crossley Bros.	Henry Robb		
Nov 26	Esso Pet. Co.	Esso Cambridge (679)	Tank barge	131	-	MON.	-	-	water	-	Richard Dunston, Hessle		
Nov. 29	Oil Storage Co. of Apapa	Oscar 2 (170) and Oscar 8 (176)	Tank barges	95 (each)	-	-	-	Non- propelled	-	-	Clelands (Successors		
Nov. 29	Afran Transport Co.	Suhail (439)	Tanker	15,700	24,400	589 o.a. and 560 b.p 80 × 42.25	14	6-cyl., 2-str. Doxford diesel	6,600	R. & W. Hawthorn, Leslie	Furness S.B.		
Nov. 29	Royal Mail Lines	Ebro* (1442)	Cargo	5,500	-	415 b.p 58.5 - 38.33	-	6-cyl., 2-str. B. & W. diesel	-	Shipbuilders	Wolff, Govan		
Nov. 30	Yacimientos Petroliferos Fiscales, Buenos Aires	Eva Peron (1206)	Tanker	12,000	18,000	565.75 o.a. and 530 b.p. > 71 > 39	-	Dblered geared turbine	6,000	Shipbuilders	Cammell Laird		
Nov. 30	Scottish Tanker Co.	Scottish Lion (1811)	Tanker	11,250	16.250	547 o.a. and 515 b.p. × 69.5 × 38.375	-	6-cyl., 2-str. Doxford diesel	6,400	Wallsend Slipway & Eng.	Swan, Hunter & Wigham Richardson, Wallsend		
Dec. I	United British S.S. Co.	Barrington Court (513)	Cargo	6,000	10,000	445 b.p. × 59.75 × 29.08	-	6-cyl., 4-str. Harland- B. & W. diesel	3,300	John G. Kincaid	Short Bros.		
Dec. 3	Comissão de Aquisicaade Petroleiros	Ceara (101)	Tanker	11,000	16,500	510 b.p 69.5 - 37 25	-	5-cyl. Doxford diesel	5,600	Barclay, Curle	Blythswood S.B.		
Dec. 4	Wm. Robertson Shipowners	Olivine	Cargo	_	1,700		11.5	7-cyl. diesel	-	British Polar Engines	Ailsa S.B.,		
Dec. 4	Per Lodding. Oslo	Sydhav (1064)	Tanker	11,000	16,000	Admin.	-	Diesel	-	-	Lithgows		

^{*} Corrected and additional details of a launch reported in last week's SHIPPING WORLD.

TRIAL TRIPS

		Ship's Name			te Tonnages	and Northern Ir			T		
Date	Shipowners	and/or Yard No	Type	Gross	Deadweight	Dimensions (ft.)	(knots)	Propelling Machinery	Total h.p	Engine Builders	Shipbuilders
Nov. —	Constantine Shipping Co.	Copsewood	Cargo	1,272	1.675	214.5 b.p. × 35.33 × 16	-	4-cyl., 2-str. diesel	640	British Polar Engines	Burntisland
Nov. 20	Consolidated Fisheries	Vanessa Ann	Trawler		-	112 - 22 - 12		British Polar diesel	-	_	Richards
Nov. 28	Admiralty	Beskidy (333) (to be named Surf Pioneer)*	Tanker	7,600	11,000	445 b.p 60.5 - 34	13.5	Sinscr., 4-cyl. Doxford diesel	4,250	N.E. Marine	& Sons
Nov. 28	British Electricity Authority	Deptford	iron collier	1,782	2,700	257 I.w.l. × 39.5 × 18.5	11	Trexp. reheat steam	-	George Clark (1938)	S. P. Austin
Nov. 30	(S. Wales)	Garlinge (1252)	Cargo	2,980	4,628	340 o.a. × 46.5 × 24.29	-	Trexp.	_	Shipbuilders	Wm. Gray
Dec. I	Furness, Withy & Co.	Pacific Reliance (124)	Cargo	9,300	10,500	497 × 63.16 × 41	15.5	Geared	7,700	Parsons Marine	Vickers- Armstrongs Walker

Ordered by the Gdynia-America Shipping Lines, Ltd., the Beskidy was taken over by the Admiralty in July of this year.



FUSTACE SMITH, the second vicepresident of the Ship-Employers building Federation for the ensuing year, has been joint managing director of Smith's Dock Co., Ltd., since 1948. He served his apprentice-ship with R. & W. Hawthorn, Leslie & Co., Ltd., and completed it with Smith's Dock Company, which he joined in 1923. He became a director of the company in 1928 and was appointed assistant managing director in 1945. Mr. Smith is a member of the Institution of Naval Architects and of the North East Coast Institution of Engineers and ShipMR. J. GRANT, the newly appointed mana-ger of the Shell Haven oil refinery of the Shell Petroleum Co., Ltd., has for the past year been assistant manager of the Shell refinery at Stanlow. Mr. Grant started his career as an oil chemist and joined Shell in 1927, spending his first eleven years' service in the United States. In 1938 he was transferred to Suez as assistant refinery manager, returning to Eng-land in 1940. He later became superintendent at the Stanlow refinery. In 1944 he went to Trinidad as an assistant refinery manager and was later appointed assistant general manager in that area



MARITIME NEWS BRIEF IN

From Correspondents at Home and Overseas

LORD LEXTHERS, Secretary of State for the Coordination of Transport, Fuel and Power, and Sir Frank S. Alexander, a former charman of the Baltie Exchange and former Lord Mayor of London, have been admitted to the honorary membership of the Baltie Exchange, the former in recognition of his services to the country and the latter for his services to the Exchange and to the City of London. Sir Frank Alexander has been a member of the Baltie Exchange since 1905, and was chairman from 1939 to 1946. Lord Leathers was elected a member in 1917.

The States Marine Corporation, of New York, has acquired a controlling interest in the South African Marine Corporation, Ltd., of Cape Town, by increasing its holding in the line from 40 per cent to 60 per cent. A South African subsidiary of Clan Line Steamers, Ltd., has also acquired an interest in the company, leaving only a minor interest still in other South African hands.

The Minister of Fuel and Power has appointed Sir Ewart

THE Minister of Fuel and Power has appointed Sir Ewart Smith (technical director of Imperial Chemical Industries, Ltd.) and Caotain (E) W. Gregson, R.N.R. (director of Babeock & Wilcox, Ltd.) to be members of the Scientific Advisory Council which was set up in 1948 to advise him the scientific aspect of his statutory duties

To make the centenary of the Stag Line, Ltd., a tax-free capital distribution of 3d, a share is to be made to share-holders. The firm was founded in 1846 when Joseph Robin-

capital distribution of the first was founded in 1846 when Joseph Robinson bu It the 182-tons sailing ship Stag.

The Baltic Exchange will be closed from 2 p.m., Monday, December 21, until 10 a.m., Thursday, December 27, and from 2 p.m., Monday December 31, until 10 a.m., Wednesday, January 2, 1952.

VAPTAIN Sir Ernest Thornton the death of whom was amounced in last week's Suipping World, was from February 1941 until he retired in 1947 Commodore of the Union-Castle Line fleet, Captain Thornton joined the Line in 1996, During the First World War he served as a Lieutenant, R.N.R., and was in H.M.S. Lion at the battles of the Helgoland Bight, Dogger Bank and Jutland. He was first appointed to a command in 1929. Throughout the last war he commanded the liner Cametosen Castle, and was knighted in 1944. Capetown Castle, and was knighted in 1944.

Alterations are being made to the passenger accommoda-tion of three Moore-McCormack liners without interruptine their regular services from New York to Buenos Aires. The 32 staterooms on B deck of each vessel are being altered to provide a toilet and shower with each room, Most of the provide a toilet and shower with each room. Most of the work is carried out while the liners—Brazil, Argentina and Uruguau-

REES MACE MARINE, through the Export Department of Pye, have recently equipped two police launches for the Gold Coast with V.H.F. radio telephones. Other export shipments of marine Pye V.H.F. radio will include port equipment for Acyra and V.H.F. sets for Government launches in Hong Kong.

THE Engineering Centre, Glasgow, has now opened a catalogue library which contains the literature of more than 3,000 firms, and also a complete set of British Standards. Manufacturers who have not included the Centre's name on their mailing lists for publicity matter, are invited to do so.

Captain A. Marshen has been elected chairman of the Shipwrecked Fishermen and Mariners' Royal Benevolent Society in succession to the late Admiral Sir Michael Hodges. Captain C. St. G. Glasson, Elder Brother of Trinity House, has been elected deputy chairman of the society.

THE Papua Legislative Council at Port Moresby has passed a bill to control the sale, transfer or mortgage of any ship owned in the territory to people or interests outside the Commonwealth of Australia,

Mr. M. H. L. Lewis has been co-opted to the board of executive directors of Crompton Parkinson, Ltd., for a period of six months, Since April 1950 he has been assistant to the Works Director (South).

THE death has occurred of Mr. H. M. Mann, who since 1944 was managing director of Whites Shipyard (Southampton), Ltd.

Owing to rising costs of fuel and other services, the Continental North Atlantic Westbound Freight Conference have notified shippers that freight rates will be increased by 10 per cent as from February 1 next. The increase will apply to all cargo moving from Rotterdam, Amsterdam, Antwerp, Brensen and Hamburg to New York, Boston, Philadelphia, Baltimore, Norfolk and Newport News.

FIVE elephants were shipped at Southampton last week in the P. & O. liner Soudan. An unusual export, they are destined finally for Borneo, where they will be employed in the teak forests. Owing to the shortage of trained elephants, restrictions have been imposed on the export from India and Burma.


ONE of the first launches on the Tyne in the New Year will be the 2.500-tons cable ship Stanley Angacin, being built by Swan, Hunter & Wigham Richardson, Ltd., Walker, for Cable & Wireless. This will be the 22nd cable ship built at the yard.

Mr. G. F. Temple, formerly sales manager of British Polar Engines, Ltd., has now joined Modern Wheel Drive, Ltd., and its associated company, Oil-operated Gears & Transmissions, Ltd., as sales manager.

Orders have been received by Bulls Metal & Melloid Co.. Ltd., for ships' windows for the two new P. & O. passenger liners to be built by Harland & Wolff, Ltd., and John Brown, Ltd.

Mr. J. C. Campbell, chief London representative of Keith Blackman, Ltd., has retired after 50 years' service with the firm. He is succeeded by Mr. J. C. Auld, who has been with the company since 1914.

SUNDERLAND FORGE ELECTRIC WINCHES



FOR EFFICIENT CARGO HANDLING

Head Office: PALLION, SUNDERLAND. Branches in leading U.K. Ports

THE

MERCANTILE

DRY DOCK CO LTD JARROW-ON-TYNE

3 DRY DOCKS

SHIP REPAIRERS ENGINEERS
BOILERMAKERS

Tel. 4 LINES 67191 JARROW

GLASGOW **ARCHIBALD LOW &** SONS LTD GLASGOW NATURAL VENTILATION STEELS ENGINEERING STORAGE TANKS & VESSELS INSTALLATIONS LTD SKYLIGHT LIFTING GEAR SUNDERLAND TANK HEATING COILS BRASSFOUNDERS HEATING & VENTILATION SHIPS' PLUMBING TANK HEATING COILS CALORIFIERS OIL HEATERS GALLEY RANGES SHIPS' PLUMBING STORM VALVES STEEL & CO LTD SALES & SERVICE THROUGHOUT U.K. AND 72 COUNTRIES OVERSEAS

STEELS ASSOCIATED INDUSTRIES

Archibald Low & Sons Ltd., 82 Merkland St., Partick, Glasgow W.1 Tel.: Glasgow Western 7285/6/7/8



Steels Engineering Installations Ltd., Crown Works, Sunderland Tel.: Sunderland 56281 (10 lines)

London Office: 6 Avonmore Road, Kensington, W.14. Tel: London Fulham 7732/6

Serve the Shipbuilding and Shipping Industries


WINCHESTER HOUSE · OLD BROAD STREET · LONDON·E·C·2 COALING CONTRACTORS and STEAMSHIP AGENTS in conjunction with

NATAL NAVIGATION COLLIERIES & ESTATE CO.LTD.

specialise in BUNKERING at

DURBAN (Natal) . CAPETOWN . MOMBASA PORT SUDAN · - COLOMBO · MAURITIUS

WITH BEST



ADMIRALTY CHARTS

The LATEST EDITIONS of Charts, Plans and Sailing Directions published by the Hydrographic Dept., can be obtained from

J. D. POTTER, Admiralty Agent for Charts, Publisher of Nautical Books, and Bookseller.

145, MINORIES, LONDON, E.C.3. (Tel.: Royal 1369) Large Stocks of Nautical and Technical Books of all descriptions.

BRITISH CONTINENTAL STEAMSHIP CO., LTD.

AMSTERDAM . ROTTERDAM . DUNKIRK . ANTWERP . GHENT & TERNEUZEN from and to LIVERPOOL & MANCHESTER ANTWERP & GHENT from and to GLASGOW GHENT from and to BELFAST

GHENT from and to BELFASY

AUSTS

AUSTS

For Rotterdam, Amsterdam and Dunkirk Steamers: Wilson Son & Go
For Antwerp, Ghent and Terneuzen Steamers: J. T. Fletcher & Co.
GARSTON: Ed. W. Turner & Son.
BARROW: James Fisher & Sons, Ltd.
GLASGOW: Glyde Shipping Co., Ltd.
BELFAST: G. Heyn & Sons Ltd.; James Little & Co., (Belfast) Ltd
ANTWERP, CHENT, TERNEUZEN: John P. Best & Co., S.A.
ROTTERDAM: P. A. Van Es & Co.; Phs. Van Ommeren (Rotterdam) N.V.
DUNKIER L. A. Le Backet.

DUNKIER L. A. Le Backet.

Street, R.G.3

PARIS: Phs. Van Ommeren (London), Ltd., Baitle House, 27 Leadenhall

Street, R.G.3

PARIS: Phs. Van Ommeren (France) S.A., 11, Rue Tronchet, 8e

WILSONLINE, HULL Grame" WILSONS, BULLI"

REGULAR SERVICES

From Hull, London, Liverpool, Manchester, Middlesbro', Newcastle, Aberdeen, Swansea, Newport, Antwerp, Dunkirk etc.; to and from Norway, Sweden, Denmark, Poland, Baltic States, Portugal, Mediterranean Adriatic & Levant Ports, Etypt. India, Pakistan, Canada & United States.

PASSENGERS Passenger Services to Norway, Sweden, Denmark, Poland. Italy, United States, and Canada. etc. MARINE INSURANCE Insurances arranged on Cargo by our own and other steamers to and from all ports at current rate of premium.


Lighter Owners Forwarding Agenta, Warehouse Keepers and Sworn Weighers Bunkers supplied.

For Rates of Freight, Fares, Insurance, Forwarding, etc., apply to—
ELLERMAN'S WILSON LINE, Ltd., HULL
or Branch Offices at Levés, Sheffield, Manchester, Birmuingham. Bradford
and Grimsby; or London Agenta—THE UNITED SHIPPING CO.
Ltd., 108, Feenburch St., London Ecol., London Brokers for Indian and
Pakistan Trade—GELLATLY, HANKEY & CO., Ltd., Dixon House,
1, Lloyd's Avenue, London, E.C.3., or & P. Pall Mall, S.W.I.

AFRICA SOUTH AND EAST

For all information apply to HOUSTON LINE (LONDON), LTD., 4, ST. MARY AXE, LONDON, E.C.3. or JOHN M. LENNARD & SONS, LTD., MIDDLESBROUGH

Telephone: AVEnue 5834/5 GRISAR & MARSILY, ANTWERP





FURNESS LINES

FURNESS LINE

London to Philadelphia and New York.

FURNESS WEST INDIES LINE

New York to U.S. Virgin Islands, British & French West Indies, Venezuela and Trinidad.

Newfoundland and Canada to U.S. Virgin Islands, British & French West Indies, Venezuela & Trinidad.

FURNESS RED CROSS LINE

New York to Saint John, N.B./ Halifax. N.S./ St. John's and Corner Brook, N.F.

FURNESS-WARREN LINE

Liverpool to St. John's, Newfoundland, Halifax, N.S., and Boston.

FURNESS PACIFIC SERVICE

Manchester to Los Angeles, San Francisco, Victoria and Vancouver, B.C., via Panama Canal. Loading Brokers :- Manchester Liners Ltd. Manchester 2.

FURNESS BERMUDA LINE

New York to Bermuda.

JOHNSTON WARREN LINE

Antwerp, Hamburg and Liverpool to Piraeus, Volo. Thessaloniki, Izmir. Haydar Pasha, Istanbul, Black Sea, Roumanian and Danubian Ports.

For further information apply:-

FURNESS WITHY & CO., LTD.,

Furness House, Leadenhall Street, London, E.C.3. Also at LIVERPOOL, GLASGOW, LEITH. MIDDLESBRO' AND NEWCASTLE.

PRINCE LINE

CANADA & U.S.A. - BRAZIL - RIVER PLATE - BRAZIL TRINIDAD - U.S.A. & CANADA U.S.A. - SOUTH & EAST AFRICA - U.S.A. U.S.A. - FAR EAST - E. CANADA - U.S.A U.K. - MEDITERRANEAN - U.K. ARGENTINA & URUGUAY - U.K.

For further information apply-

PRINCE LINE LTD. :: 56, Leadenhall St., E.C.3

THE BANK LINE

OPERATING THE FOLLOWING SERVICES

AMERICAN AND INDIAN LINE—Calcutta, Chittagong, Rangoon and Colon-bo to Halifax Boston, New York, Philadelphia Baltimore and Norfolk (Va.)

AMERICAN AND INDIAN BRANCH LINE SERVICE—Rangoon, Chittagong, Madras, Madras Coast, Colombo and Malabar Coast, (filling up if necessary at Aden and Port Sudan) to Halifax, Boston New York, Philadelphia, Baltimore and Norfolk (Va.)

BOMBAY AMERICAN LINE—Bombay to New York and Philadelphia. BOMBAY AMERICAN LINE—Bombay to New York and Philadelphia. AMERICAN AND ORIENTAL LINE—U.S. Atlantic and Pacific Coast ports to Philippines, Hong Kong, Shanghai, Japan, Indonesia and Malaya, returning to Canada and U.S.A. via Suez Canal.
CALCUTTA to RIVER PLATE PORTS—Chittagong, Calcutta and Other indian Ports. Colombo and Malabar Coast to Brazil Montevideo, Buenos Aires, Rossario and Balai Blanca INDIAN CHILEAN LINE—Calcutta, Chittagong, Rangoon, Singapore and Indonesia to Wratt Coast of South American ports.
INDIAN ARBICAN LINE? Carrying, Manaportund Research Proceedings of the Company of the Compan

INDIAN AFRICAN LINE | Carrying passengers and cargo from INDIA-NATAL LINE | Rangoon Chittagong Calcutta, other Indian ports and Colombo to East and South African ports and vice versa. (Vessels of the India-Natal Line also call at Madagascar when opportunity offers.)

FRAGAGASAR PRICAN LINE—Carrying passengers and cargo from Japan, Shanghai, Hong Kong, Philippines, Borneo, Saigon, Bangkok and Malaya to Mauritius Reunion East and South African ports and vice vers.

U.S. GULF to AUSTRALASIA—Regular sailings from all U.S. Gulf ports to all ports in Australia and New Zealand. Calling at Trinidad en route when sufficient inducement offers.

U.S. GULF to SOUTH AFRICA—U.S. Gulf ports to South and East

PERSIAN GULF-General Merchants, Export, Import and Ship Agents. For Freight and Particulars apply to-

ANDREW WEIR

SHIPPING & TRADING CO., LTD. 19-21, BURY STREET, LONDON E.C.3.

ANGLO BALTIC LINES

U.K. PORTS

GDYNIA/GDANSK & FINNISH PORTS

KLAIPEDA (Memel) LIEPAJA (Liban) RIGA and TALLINN

when conditions permit, and sufficient inducement offers.

For further particulars apply to-

UNITED BALTIC CORPORATION, LIMITED,

158, Fenchurch Street London, E.C.3

Telegrams "Orienteako," London Telephone No.: Mansion House 3311 (B lines)

MAC ANDREW

SPAIN AND MOROCCO Regular Services from LONDON, LIVERPOOL and Principal U.K. Ports

Express Service by: ast Motorships from LONDON and LIVERPOOL to BARCELONA

HALL'S LINE to LISBON and GIBRALTAR Express Service by fast Motorships from LONDON to GIBRALTAR

GLYNN LINE TO WEST ITALY and SICILY

For Freight and Passage apply to-

MACANDREWS & CO., LTD.,

Plantation House, Mincing Lane, London, E.C.3. Telephone: MANSION HOUSE 1543

Cunard Building, Water St., Liverpool, 3 Tel:: CENTRAL 3922 BRANCH HOUSES at *Barcelona, *Madrid. *Tarragona *Castellon, *Burriana, *Velencia, *Gandia, *Denia *Carthagena *Almeria, *Malaga, *Seville and Bilbao

Branches with * act as Lloyd's Agents. Agencies in all other principal ports





P&O and B.I.

From United Kingdom and Continental ports to EGYPT, ADEN, RED SEA PORTS, INDIA, PAKISTAN, CEYLON, E. & S. AFR'CA, MALAYA, CHINA, JAPAN, AUSTRALIA, etc.

For details of services, fares, etc., apply-P. & O., 122, Leadenhall St., E. C. 3, • 14, Cockspur St. S. W. I • 9, Kingsway, W. C. 2 •

B. I. Agents: Gray Dawes & Co.1, 122, Leadenhall St., E. C.3

HOULDER BROTHERS & CO. LTD.

REGULAR FAST SERVICES to RIVER PLATE

From Liverpool, London, Bristol Channel & Antwerp and to SOUTH AFRICA

FREIGHT ENGAGEMENTS made and goods insured and forwarded

TO ALL PARTS OF THE WORLD

Head Office: 53, LEADENHALL STREET, LONDON, E.C.3

Branch Offices at Liverpool, Glasgow, Newport (Mon.), Bristol, swansea, Manchester, Hull, Southampton, Birmimgham, Sheffield, Bradford, Hanley, Dundee, Cate Town and Sydney (N. Sw.). Kepresentatives in Argentina and Uruguay: Soc. Anon Houlder Rothers & Co. (Argentina), Ltd., Buenos Aires, Rosario, La Plata and Montevideo.
Brazil: Houlder Brothers & Co., Brazil, Ltd., Rio de Janeiro and Santos.

ROYAL MAIL LINES



to SOUTH AMERICA BRAZIL . URUGUAY WEST INDIES SPANISH MAIN

CENTRAL AMERICA NORTH PACIFIC COAST

ROYAL MAIL LINES, LTD. : Royal Mail Mouse, Leadenhall Street, E.C.3. America House, C Street, S. W. I. Liverpool: The P.S.N. Co., Pacific Building, James Street, (2) London : Royal Hail H

P. S. N. C.

LIVERPOOL, BERMUDA, BAHAMAS, CUBA, JAMAICA, PANAMA CANAL, WEST COAST OF SOUTH AMERICA.

Also via Bahia Blanca & Punta Arenas

THE PACIFIC STEAM NAVIGATION CO.

Pacific Building, James St., Liverpool, 2 London Agents: Royal Mail Lines, Leadenhall St. E.C.3

> Freight: McGregor, Gow & Holland, Ltd. 16, St. Helen's Place, London E.C.3

BIBBY LINE

UNITED KINGDOM, CONTINENT, MARSEILLES, EGYPT, SUDAN, CEYLON AND BURMA

BIBBY BROTHERS & CO., Martins Bank Building, Water Street, LIVERPOOL, 2.

EAST ASIATIC COMPANY LTD. (Aktieselskabet Det Ostasiatiske Kompagni) COPENHAGEN



FREIGHT AND PASSENGER SERVICES Agents in the United Kingdom: United Bottic Corporation Ltd., London. Freight and Passenger Agents: Excombe, McGrath & Co., London, Glasgow, Birmingham, Liverpool, Manchester, Middlesbrough, Southampton. J. E. Hyde & Co., London (for Australia Line).



New Zealand Line

 Passenger and Cargo Services via Panama

Particulars from :— J. B. WESTRAY & CO. LTD. 138 LEADENHALL ST., E.C.3 • Tel. (AVEnue 5220)

THE NEW ZEALAND SHIPPING Co. Ltd.

FREIGHT AND PASSENGERS

Regular Sailings LONDON, LIVERPOOL, NEW YORK & CANADA

AUSTRALIA & NEW ZEALAND

PORT LINE LTD.

CUNARD HOUSE, 88, Leadenhall Street, London, E.C.3 'Phone : Avenue 1270. Telegrams: "Portships Fen, London

MOSS HUTCHISON LINE LTD.

REGULAR FREIGHT SERVICES FROM LIVER-POOL AND GLASGOW TO CASABLANCA AND MEDITERRANEAN PORTS. ALSO FRANCE, SPAIN AND PORTUGAL

For Freight apply to MOSS HUTCHISON LINE LIMITED,

GLASGOW: 95. Bothwell Street, C.2 MANCHESTER

LONDON c/o THE GENERAL STEAM NAVIGATION CO LTD., 15, Trinity Square, E.C.).

ELLERMAN LINES

World-Wide Services

U.K. CANADA U.S.A.

SOUTH & EAST AFRICA PORTUGAL, MEDITERRANEAN, EGYPT, LEVANT & BLACK SEA, RED SEA & PERSIAN GULF INDIA & PAKISTAN. **CEYLON & BURMA** MALAYA, PHILIPPINES, CHINA & JAPAN AUSTRALIA & NEW ZEALAND.

Hall Line, Ellerman & Bucknall Line,

City Line, Ellerman Line Papayanni Line, Westcott &

Laurance Line.

Head Office
104-7, LEADENHALL STREET,
LONDON, E.C.3
LIVERPOOL—Tower Buildings,
Water Street
Water Street Water Street GLASGOW—75, Bothwell St., C.2

World-Wide Services

SHOW SOVILL LINE



SOUTH AFRICA

AUSTRALIA

HEAD OFFICE: 88, Leadenhall St., London, E.C.3

PASSENGER OFFICE : NEW ZEALAND IIa, Lower Regent St., London, S.W.I

CARGO FROM

Hamburg, Bremen, London & East Coast U.K. Ports

U.S.A. GULF PORTS

BROWN, JENKINSON & CO., LTD., 113 Fenchurch Street, E.C.3. WESTBOUND LOADING BROKERS

Galveston, Houston, New Orleans & Mobile to East Coast U.K. & North Continent

by ROPNER LINE

SIR R. ROPHER & CO. (MANAGEMENT) SIR R. ROPHER & CO. (LONDON) LTD. Conisciifie Road, Darlington.

Telephone 2811:

22 St. Mary Axe, London, E.C.3.
Telephone: AVE. 2153

STRACHAN SHIPPING CO.-New Orleans and all U.S. Gulf Ports.



Go to Gardiner's

for

Uniforms **Battle Dress** Caps, Badges Gold Lacings Raincoats Oilskins

Rubber Boots **Boot Hose** Overalls Kit Bags Bedding Blankets

GARDINER & CO. (The Scotch House) Ltd. I, 3 & 5, Commercial Road, London, E.I Opposite Aldgate East Station) Phone: Bishopsgate 6751/3 ORDER BY POST-SELF MEASUREMENT FORMS SUPPLIED Complete Outfits for R.N., R.N.V.R. and M.N.

EAGLE AVIATION LTD.

draws the attention of shipowners

to their fleet of four Avro York aircraft. These aircraft are ideal for crew movements also for the transport of ships' spares. Maximum economy - Maximum speed.

Head Office:

29 CLARGES STREET, LONDON, W.I. Tel: GROsvenor 6411 Cable: Speedlode Audley, London.

NORTH OF ENGLAND PROTECTING. INDEMNITY & WAR RISKS ASSOCIATION

(Established 1860)

The Association covers Shipowners in:-Class I.—PROTECTING—Against claims for one-fourth damage done to ether ships or vessels, damage to structures, loss of life, personal folury, etc.
Class II.—INDEMNITY—Against liabilities arising its connection with eargo, &c.
Class III.—WAR RISKS—Hull and Machiner, &c.
Class IV—WAR RISKS—Teight, Disbursements, &c.

The interests of Members are safeguarded at the principal ports in the World by official Legal Representatives and Nautical Experts, who have full instruc-tions to act and to assist Masters in the case of need.

Principal Office: NEWCASTLE-UPON-TYNE: Collingwood Buildings Branch Offices: GLASGOW-134, St. Vincent St., C.2. CARDIFF—The Exchange. Mount Stuart Square. LONDON-24, St. Mary Axe, E.C.3. LIVERPOOL-123, Derby House, Exchange Buildings.

J. W. TODD General Manager

W. J. YARWOOD & SONS LTD.

Established 1840



THE DOCK, NORTHWICH CHESHIRE

'Grams: "Shipyard, Northwich."

'Phone: 4234 (2 lines)

FOR SALE

SEVERAL UNUSED CHRYSLER VERTICAL (SIX-CYLINDER DIESEL ENGINES, developing 66 b.h.p. at 1.800 f.B.m. Bore, if in, by 5 in, stroker starting motor, instrument panel, etc. These engines are unused and are available for immediate delivery at very attractive prices. Thus, W. Ward, Ltd., Albion Works, Sheffield.

SITUATIONS VACANT

A DMIRALTY. A vacancy exists for a femiorary ship Draughtsman in the Honon Defence and Marine Salvage Department of the Admiralty, London, Candidates must be British subjects of 21 years and unwards, who have had experience in general shippard practice and also Drawing Office experience. Salary will be assessed according to age, qualifications and experience within the range 41ct 525 per annum.

Applications, stating age and details of technical qualifications, apprentice-hip or equivalently and Drawing office as the first of the control of

Tyll. Admiralty myste appleations from qualified Naval Architects for a properary service in the Naval Construction Department in London for a period of about three years. Candidates must be British subjects in possession of a University Degree for its equivalent) in Naval Architecture and should have had practical shipward experience. Successful applicants will be employed as Design Assistants and their grading and salaries will be assessed according to age, qualifications and experience. The salaries applicable to the two grades open to candidates range up to maxima of Zoo and £1,73 respectively, but only exceptionally well qualified candidates with long cases service in London, and the highling age, professional qualifications and experience, should be sent to the Admiralty (CE £11, Room 88, Empire Hotel, Bath. Original testimonials should not be forwarded with the application.

CLERK (male), age 22.29, required for old-established Shipping and Mercantile Business in City. Shipping and invoice works with scope for experimental cool removation for right man. Staff Persion Scheme. Apply Box No. 218. The Shipping World, Ltd., 1, Arundel Street, London,

INDEX TO ADVERTISERS IN THIS ISSUE

Anglo-Baltic Lines	Page A18 A17 A11	Ellerman's Wilson Line, Ltd	Page A16	P. & O. and B.I. Companies Port Line, Ltd Potter, J. D		A4 A18 A19 A16
Bibby Brothers & Co.		Gardiner & Co. (The Scotch House), Ltd		Treatment to the action of the		A16 A17
Blundell & Crompton, Ltd. Blyth Dry Docks & Shipbuilding Co., Ltd. Bristol Aeroplane Co., Ltd.	A2	Henley's, W. T., Telegraph Works, Co., Ltd From	l. nt Cover	Ropner, Sir R., & Co. (Management), Ltd. Royal Mail Lines, Ltd.		AI9
British & Continental Steamship Co., Ltd British European Airways	A16	Houston Line (London), Ltd	A18			A4 A19
British Overseas Airways Corporation British Ropes, Ltd. Brown, A. & R., Ltd.	A13		A16	Sperry Gyroscope Co., Ltd Steels Engineering Installations, Ltd		A15 A15
Brown, John, & Co., Ltd.	ack Cover	Mann, George & Co., Ltd.	A2			A9 A6
Cable Makers' Association Canadian-Vickers, Ltd. Cayzer Irvine & Co., Ltd.	A7 A21 A21	Mitchell Cotts & Co., Ltd Mory & Co., Ltd.	A16			A16
Clan Line Cory, Wm., & Son, Ltd.	A21	New Zealand Shipping Co., Ltd	A19	Cition Castre Clark Steamanny Sent Sent		A18 A17
Crewsair, Ltd. Decca Radar, Ltd.	A6	North of England Protecting Indemnity War Risks Association	A20			A3
Eagle Aviation, Ltd.	A20		A18	Weir, Andrew, Shipping & Trading Co., Ltr	d.	A17
East Asiatic Co., Ltd. Ellerman Lines	A18		A18	Warwood, W. J., & Sons, Ltd		A20

FLOODLIGHTING FUNNELS, ETC.



SPECIALLY DESIGNED PROJECTOR

WHICH CAN BE PLACED WITHIN 5' to 6' OF THE FUNNEL GIVING AN EVEN LIGHT OVER THE WHOLE FUNNEL.

Economical and Efficient



A. & R. BROWN LTD. Makers

90 REGENT ROAD, Liverpool

Reg. Design No. 857407



PASSENGER, CARGO, OIL TANK VESSELS UP TO 18,000 TONS DEADWEIGHT.

MARINE DIESEL ENGINES, LICENCEES FOR VICKERS-SKINNER UNAFLOW MARINE STEAM ENGINES.

Canadian representatives for—

CLARKE CHAPMAN WINCHES, WINDLASSES, ETC. JOHN HASTIE STEERING GEAR.

Forty-five acres of shipbuilding facilities, complete staff of experienced Naval Architects and Marine Engineers

VICKERS

LIMITED

Cable Address: VICKERS MONTREAL
On the shore of the mighty St. Lawrence

ESTABLISHED 1825

BLUNDELL & CROMPTON

ENGINEERS : SHIP REPAIRERS COPPERSMITHS : FOUNDERS Etc.

Te'ephone East 3838 (3 lines) & 1408 Telegrams : Blundell, 'Phone, London



Specialists in URGENT HULL AND ENGINE REPAIRS

Sole Manufacturers
BLUNDELL 'ATMOS' VALVES
CROMPTON ASH HOISTS

WEST INDIA DOCK ROAD, LONDON, E.14

Branch Works : TILBURY DOCKS ESSEX. Telephone : Tilbury 33

CLAN



between the


UNITED KINGDOM SOUTH & EAST AFRICA. CEYLON, INDIA AND PAKISTAN

For details apply to the Managers:—
CAYZER, IRVINE & CO. LTD.
LONDON · LIVERPOOL · GLASGOW

LINE

JOHN BROWN

z & Company Limited x x



Cunard White Star Lines "Queen Elizabeth"

The works of Messrs. JOHN BROWN & CO., LTD., at CLYDEBANK, are well equipped for the construction of Passenger Liners and Cargo Vessels, Cross Channel Steamers, Oil Tankers, Reciprocating Machinery, Geared Steam Turbines and Diesel Engines; also Gas and Water Turbines, Pressure Vessels and Equipment for the Petroleum Industry

CLYDEBANK ENGINEERING AND SHIPBUILDING WORKS:

CLYDEBANK, near GLASGOW.

Registered Office: Atlas Works, Sheffield. Telephone No: Clydebank 2020 (10 lines)

London Office: 8, The Sanctuary, Westminster, S.W.1. Telegraphic Address: Shipyard Clydebank